

## PMTF Catch Update #11, June 20, 2026

[https://www.bbsri.org/?mc\\_cid=ea452bad9e&mc\\_eid=UNIQID](https://www.bbsri.org/?mc_cid=ea452bad9e&mc_eid=UNIQID)

\*\* Port Moller Test Fish Catch Update

\*\* Catch Update #11, June 20, 2026

1-PMTF Catch Update Table ([https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/933dbe2a-1a06-ea2e-1c94-62bcc859c127/PMTF\\_Catch\\_Update\\_Table.39.pdf?mc\\_cid=ea452bad9e&mc\\_eid=UNIQID](https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/933dbe2a-1a06-ea2e-1c94-62bcc859c127/PMTF_Catch_Update_Table.39.pdf?mc_cid=ea452bad9e&mc_eid=UNIQID))

2-PMTF Raw Data ([https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/9254fb75-4905-76e4-491f-e9acb83e8115/PMTF\\_Raw\\_Data.39.pdf?mc\\_cid=ea452bad9e&mc\\_eid=UNIQID](https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/9254fb75-4905-76e4-491f-e9acb83e8115/PMTF_Raw_Data.39.pdf?mc_cid=ea452bad9e&mc_eid=UNIQID))

Good evening,

There was nothing spectacular about today's catch indices. The overall Daily Catch Index was down again; we expect it'll be back up in the coming days.

PMTF Stock Composition Status: A stock composition for June 18-19 will be released tomorrow.

Index by Station

S2: 4

S4: 0

S6: 83

S8: 92

S10: 26

S12: 99

S14: 2

S16: 0

S18: 0

S20: 2

S22: 2

S24: 0

Daily Catch Index = 26

Jordan (<mailto:jordan@bbsri.org?subject=PMTF%20Daily%20Update%20Reply&body=Hi%20Jordan%2C>) and Scott (<mailto:raborn@lgl.com?subject=PMTF%20Catch%20Update%20Reply&body=Hello%20Scott%2C%0A>)

PMTF Website Project Page (Click Here ([https://www.bbsri.org/pmtf?mc\\_cid=ea452bad9e&mc\\_eid=UNIQID](https://www.bbsri.org/pmtf?mc_cid=ea452bad9e&mc_eid=UNIQID)))

BBSRI Inseason Data Page (Click Here ([https://www.bbsri.org/inseason-data?mc\\_cid=ea452bad9e&mc\\_eid=UNIQID](https://www.bbsri.org/inseason-data?mc_cid=ea452bad9e&mc_eid=UNIQID)))

BBSRI . 8427 Laviento Dr Ste 101 . Anchorage, AK 99515-1951 . USA

**Port Moller Test Fishery: Catch Update #11 20 June 2026.**

All updates sent by email are also posted online at [www.bbsri.org](http://www.bbsri.org)

Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations (Stns 2-24)	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24		4½" mesh	5½" mesh	4½" mesh	5½" mesh
10-Jun	0	0	1	7	37	2	0	0	0	0	0	0	4	6	16	454	459
11-Jun	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	-	544
12-Jun	0	0	0	12	72	4	0	0	0	0	0	0	7	22	23	498	519
13-Jun	0	0	0	4	38	6	0	0	0	0	0	0	4	12	12	494	540
14-Jun	0	2	2	2	39	14	4	0	0	0	0	2	5	13	27	497	535
15-Jun	0	0	2	0	60	70	2	10	12	0	0	0	13	61	16	494	526
16-Jun	2	0	12	19	93	310	4	0	0	2	0	2	37	133	88	515	543
17-Jun	0	2	7	13	29	58	0	2	0	0	0	0	9	43	9	516	523
18-Jun	0	2	283	333	188	142	0	2	0	2	4	2	80	291	175	511	527
19-Jun	2	15	93	199	168	317	0	0	0	0	0	0	66	197	201	505	533
20-Jun	4	0	83	92	26	99	2	0	0	2	2	0	26	82	73	496	527
21-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
22-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
23-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
24-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
25-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
26-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
27-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
28-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
29-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
30-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
1-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
2-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
3-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
4-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
5-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
6-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
7-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
8-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
9-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
10-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
11-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
12-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
13-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
Mean Stn Index	1	2	44	62	68	93	1	1	1	1	1	1	Total =	860 (57%)	642 (43%)	507	530

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Month	Day	Station	Net Length (fathoms)	SST at solar noon (°C)	Temp at 11 m deep (°C)	Sea state (ft)	Secchi depth (ft)	Wind (knots)	Tide	MFT (minutes)	4½ Catch	5% Catch	Catch index	4½ MEFL (mm)	5% MEFL (mm)	Total raw catch by date
6	10	10	140	NA	3.0	1.7	15.0	NW7	F	34	6	15	37	454	456	21
6	10	12	141	NA	4.0	1.8	18.0	NW8	F	31	0	1	2	0	498	1
6	10	14	142	NA	3.7	2.2	24.0	W9.5	E	30	0	0	0	0	0	0
6	10	16	143	NA	1.3	2.0	27.0	W10	F	28	0	0	0	0	0	0
6	11	2	144	NA	NA	1.0	18.0	SW5	HS	37	0	0	0	0	0	0
6	11	4	145	NA	NA	1.0	18.0	SW3	E	28	0	0	0	0	0	0
6	11	6	146	NA	NA	0.3	6.0	SW3	LS	30	0	0	0	0	0	0
6	11	8	147	NA	NA	1.0	15.0	SW2	LS	29	0	0	0	0	0	0
6	11	10	148	NA	4.4	1.0	15.0	SW1	E	29	0	2	4	0	544	2
6	11	12	149	NA	2.1	2.0	21.0	NW2	F	29	0	0	0	0	0	0
6	11	14	150	NA	1.8	1.0	27.0	NW5	E	29	0	0	0	0	0	0
6	11	16	151	NA	NA	1.0	27.0	NW5	E	34	0	0	0	0	0	0
6	11	18	152	NA	2.8	2.0	NA	NW8	E	31	0	0	0	0	0	0
6	11	20	153	NA	3.4	2.0	24.0	NW8	E	30	0	0	0	0	0	0
6	11	22	154	NA	3.1	2.2	24.0	NW10	F	31	0	0	0	0	0	0
6	11	24	155	NA	NA	2.0	24.0	NW10	E	29	0	0	0	0	0	0
6	12	6	156	NA	2.9	2.5	18.0	NE15	E	31	0	0	0	0	0	0
6	12	8	157	NA	3.9	2.0	18.0	NE12	E	30	4	2	12	460	480	6
6	12	10	158	4.8	3.2	1.5	24.0	NE9	E	31	17	20	72	509	522	37
6	12	12	159	4.5	3.1	1.5	21.0	NE5	LS	31	1	1	4	454	532	2
6	12	14	160	4.2	1.9	1.0	18.0	SW2	HS	31	0	0	0	0	0	0
6	12	16	161	4.3	4.6	2.0	24.0	E3	E	32	0	0	0	0	0	0
6	12	18	162	4.3	2.8	3.0	27.0	NE6	E	34	0	0	0	0	0	0
6	12	20	163	4.6	NA	2.0	27.0	NE5	E	33	0	0	0	0	0	0
6	12	22	164	5.5	4.7	1.0	33.0	NE4	E	31	0	0	0	0	0	0
6	12	24	165	4.2	2.6	2.0	27.0	NW6	E	31	0	0	0	0	0	0
6	13	2	166	NA	4.1	5.0	12.0	NE20	F	29	0	0	0	0	0	0
6	13	4	167	4.3	2.7	5.0	15.0	NE17	E	31	0	0	0	0	0	0
6	13	6	168	5.1	4.9	5.0	24.0	NE17	E	32	0	0	0	0	0	0
6	13	8	169	5.2	4.7	5.0	18.0	NE20	E	29	1	1	4	435	575	2
6	13	10	170	5.1	3.8	6.0	15.0	NE25	LS	30	8	11	38	490	537	19
6	13	12	171	5.1	3.9	5.0	18.0	NE15	F	30	3	0	6	526	0	3
6	13	14	172	4.6	4.4	4.0	21.0	NE12	F	31	0	0	0	0	0	0
6	13	18	173	5.1	4.7	4.0	24.0	NE11	E	31	0	0	0	0	0	0
6	13	20	174	4.6	4.3	4.0	27.0	NE12	E	33	0	0	0	0	0	0
6	13	22	175	5.9	NA	4.0	21.0	NE11	E	36	0	0	0	0	0	0
6	13	24	176	4.9	2.6	NA	NA	NE9	HS	35	0	0	0	0	0	0
6	14	2	177	NA	4.9	1.0	15.0	NE4	F	30	0	0	0	0	0	0
6	14	4	178	4.1	4.2	1.0	21.0	NE2	F	32	1	0	2	459	0	1
6	14	6	179	4.8	4.8	1.0	21.0	NE3	E	34	0	1	2	0	476	1
6	14	8	180	5.0	4.9	2.0	18.0	E7	E	32	1	0	2	420	0	1
6	14	10	181	5.0	4.8	3.0	24.0	NE7	E	40	10	16	39	506	536	26
6	14	12	182	5.0	4.4	2.0	21.0	NE5	F	34	0	8	14	0	547	8
6	14	14	183	4.4	1.6	3.0	30.0	NE8	E	31	0	2	4	0	512	2
6	14	16	184	5.0	1.8	3.0	21.0	N10	E	29	0	0	0	0	0	0
6	14	18	185	5.0	2.5	3.0	30.0	N10	E	29	0	0	0	0	0	0
6	14	20	186	4.9	1.4	2.0	24.0	N6	E	29	0	0	0	0	0	0
6	14	22	187	5.9	2.5	2.0	27.0	N5	E	31	0	0	0	0	0	0
6	14	24	188	5.2	2.5	1.0	24.0	N5	E	30	1	0	2	528	0	1
6	15	2	189	NA	2.7	1.0	15.0	NE4	F	34	0	0	0	0	0	0
6	15	4	190	4.4	4.2	2.0	15.0	W4	HS	31	0	0	0	0	0	0
6	15	6	191	5.1	3.6	2.0	18.0	SW5	E	37	1	0	2	506	0	1
6	15	8	192	5.4	5.4	1.0	21.0	NW3	E	29	0	0	0	0	0	0
6	15	10	193	5.2	5.0	1.0	27.0	NW3	E	29	20	9	60	490	520	29
6	15	12	194	5.2	2.7	0.5	24.0	NW1	F	30	33	2	70	489	518	35
6	15	14	195	4.7	2.4	2.0	27.0	SE7	E	29	1	0	2	519	0	1
6	15	16	196	5.2	1.9	2.0	33.0	E9	E	31	0	5	10	0	539	5
6	15	18	197	5.2	1.5	2.0	24.0	SE9	E	31	6	0	12	527	0	6
6	15	20	198	5.2	2.5	2.0	27.0	SE8	E	30	0	0	0	0	0	0
6	15	22	199	5.2	2.9	1.5	27.0	E9	F	28	0	0	0	0	0	0
6	15	24	200	5.8	2.3	0.5	24.0	E5	F	30	0	0	0	0	0	0

6	16	2	200	NA	NA	1.0	21.0	SW4	E	29	1	0	2	537	0	1
6	16	4	200	5.1	4.4	1.0	24.0	NW5	F	31	0	0	0	0	0	0
6	16	6	200	5.8	4.4	2.0	24.0	NW6	F	30	6	0	12	480	0	6
6	16	8	200	5.8	4.4	2.0	24.0	NW5	E	28	2	7	19	465	554	9
6	16	10	200	5.8	4.4	1.0	30.0	NW4	E	33	45	6	93	513	518	51
6	16	12	200	5.4	1.6	2.0	30.0	W5	F	29	75	75	310	521	544	150
6	16	14	200	5.2	1.8	1.0	33.0	W5	F	32	2	0	4	518	0	2
6	16	16	200	5.5	2.1	2.0	39.0	W5	E	32	0	0	0	0	0	0
6	16	18	200	5.5	1.2	2.0	30.0	W5	E	31	0	0	0	0	0	0
6	16	20	200	5.5	3.8	2.0	27.0	W5	E	29	1	0	2	440	0	1
6	16	22	200	5.3	2.4	2.0	27.0	W5	E	28	0	0	0	0	0	0
6	16	24	200	6.2	NA	2.0	21.0	W5	E	28	1	0	2	544	0	1
6	17	2	200	NA	4.4	1.0	21.0	SW4	F	32	0	0	0	0	0	0
6	17	4	200	5.4	NA	0.5	24.0	SW2	F	32	1	0	2	467	0	1
6	17	6	200	5.8	4.9	1.0	30.0	SW3	F	26	3	0	7	520	0	3
6	17	8	200	6.0	NA	1.0	24.0	SW2	E	28	6	0	13	502	0	6
6	17	10	200	5.9	5.5	1.0	27.0	W2	E	25	12	0	29	523	0	12
6	17	12	200	5.8	2.5	0.5	24.0	W2	E	30	20	9	58	525	523	29
6	17	14	200	5.4	NA	1.0	36.0	W3	E	30	0	0	0	0	0	0
6	17	16	200	6.1	2.1	1.0	33.0	W5	E	33	1	0	2	384	0	1
6	17	18	200	6.0	1.3	1.0	39.0	W5	E	29	0	0	0	0	0	0
6	17	20	200	5.7	1.8	1.5	33.0	W5	E	30	0	0	0	0	0	0
6	17	22	200	6.2	3.0	1.0	30.0	W5	F	28	0	0	0	0	0	0
6	17	24	200	6.5	2.7	1.5	30.0	W8	F	32	0	0	0	0	0	0
6	18	2	200	NA	3.2	1.0	27.0	N4	E	30	0	0	0	0	0	0
6	18	4	200	6.1	2.6	1.0	21.0	W4	E	28	1	0	2	527	0	1
6	18	6	200	6.2	2.4	1.0	39.0	W4	E	29	91	46	283	499	515	137
6	18	8	200	6.4	1.8	1.0	N/A	W4	F	29	119	42	333	509	536	161
6	18	10	200	6.1	4.5	2.0	33.0	W5	F	29	36	55	188	530	533	91
6	18	12	200	6.2	2.6	1.0	30.0	W5	E	30	43	28	142	525	520	71
6	18	14	200	5.7	2.1	1.0	21.0	NW6	E	32	0	0	0	0	0	0
6	18	16	200	6.4	2.0	2.0	24.0	NW6	E	31	0	1	2	0	531	1
6	18	18	200	6.2	6.3	2.0	24.0	NW3	F	28	0	0	0	0	0	0
6	18	20	200	6.1	2.6	1.0	24.0	NW3	E	31	1	0	2	489	0	1
6	18	22	200	7.0	5.0	2.0	21.0	NW5	E	30	0	2	4	0	546	2
6	18	24	200	6.6	3.0	1.0	18.0	W5	E	33	0	1	2	0	548	1
6	19	2	200	NA	2.9	1.0	30.0	NE5	E	29	1	0	2	454	0	1
6	19	4	200	6.3	2.4	0.0	30.0	0	F	31	8	0	15	503	0	8
6	19	6	200	6.4	4.9	0.5	39.0	N5	F	29	30	15	93	493	536	45
6	19	8	200	6.7	2.9	1.0	39.0	N5	F	29	44	52	199	500	520	96
6	19	10	200	6.5	3.6	1.0	42.0	N5	E	30	56	28	168	499	524	84
6	19	12	200	7.0	5.1	1.0	39.0	N5	E	31	58	106	317	522	542	164
6	19	14	200	5.8	2.1	0.5	33.0	NW3	E	26	0	0	0	0	0	0
6	19	16	200	6.7	2.1	0.5	30.0	NW2	E	26	0	0	0	0	0	0
6	19	18	200	6.5	1.6	1.0	33.0	NW2	F	28	0	0	0	0	0	0
6	19	20	200	6.4	NA	2.0	24.0	NW3	F	30	0	0	0	0	0	0
6	19	22	200	7.2	NA	2.0	24.0	NW4	F	31	0	0	0	0	0	0
6	19	24	200	7.0	2.9	3.0	18.0	NW8	LS	31	0	0	0	0	0	0
6	20	2	200	NA	3.2	3.0	15.0	NE8	F	28	1	1	4	528	535	2
6	20	4	200	6.1	2.4	3.0	15.0	NE7	E	29	0	0	0	0	0	0
6	20	6	200	6.7	4.5	1.0	21.0	NE5	F	31	26	17	83	473	515	43
6	20	8	200	6.9	3.2	1.0	24.0	NW4	F	32	18	31	92	492	525	49
6	20	10	200	6.8	5.7	0.5	33.0	NW2	LS	28	12	0	26	504	0	12
6	20	12	200	7.3	2.6	0.5	33.0	NW3	E	28	24	22	99	516	536	46
6	20	14	200	6.7	2.1	1.0	36.0	N3	E	29	0	1	2	0	535	1
6	20	16	200	7.1	2.0	1.0	30.0	N3	F	30	0	0	0	0	0	0
6	20	18	200	7.1	1.5	0.0	39.0	0	F	30	0	0	0	0	0	0
6	20	20	200	6.5	1.7	0.0	36.0	0	F	30	1	0	2	538	0	1
6	20	22	200	7.4	3.3	0.0	30.0	0	E	30	0	1	2	0	568	1
6	20	24	200	6.3	3.0	0.0	27.0	0	E	30	0	0	0	0	0	0