

PMTF Catch Update #13, June 22, 2026

https://www.bbsri.org/?mc_cid=56d26dbcd6&mc_eid=UNIQID

** Port Moller Test Fish Catch Update

** Catch Update #13, June 22, 2026

1-PMTF Catch Update Table (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/21f399d7-80f9-d515-3f50-fe9bddcef3ae/PMTF_Catch_Update_Table.42.pdf?mc_cid=56d26dbcd6&mc_eid=UNIQID)

2-PMTF Raw Data (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/7728f99d-b451-f50f-c6a2-05e967b6eedc/PMTF_Raw_Data.42.pdf?mc_cid=56d26dbcd6&mc_eid=UNIQID)

3-PMTF Daily Index Partitioned by District (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/cfbdec5e-188e-7029-e042-02b00295e9ba/PMTF_DailyIndexAndCE_ByDistrict.18.pdf?mc_cid=56d26dbcd6&mc_eid=UNIQID)

Good evening,

Station 12 continues to have the largest catch index, followed by Station 10, resulting in an increased overall Daily Catch Index.

A graph showing the Daily Catch Index partitioned by district based on the most up to date stock composition release is provided in Link 3 above.

PMTF Stock Composition Status: The boats will rendezvous tomorrow evening to transfer samples for June 22-23. The stock composition for these dates should be released June 24 or 25.

Index by Station

S2: 15

S4: Not fished

S6: 60

S8: 54

S10: 163

S12: 534

S14: 9

S16: 0

S18: 0

S20: 6

S22: 0

S24: 2

Daily Catch Index = 72

Jordan (<mailto:jordan@bbsri.org?subject=PMTF%20Daily%20Update%20Reply&body=Hi%20Jordan%2C>) and Scott (<mailto:raborn@lgl.com?subject=PMTF%20Catch%20Update%20Reply&body=Hello%20Scott%2C%0A>)

PMTF Website Project Page (Click Here (https://www.bbsri.org/pmtf?mc_cid=56d26dbcd6&mc_eid=UNIQID))

BBSRI Inseason Data Page (Click Here (https://www.bbsri.org/inseason-data?mc_cid=56d26dbcd6&mc_eid=UNIQID))

BBSRI . 8427 Laviento Dr Ste 101 . Anchorage, AK 99515-1951 . USA

Port Moller Test Fishery: Catch Update #13 22 June 2026.

All updates sent by email are also posted online at www.bbsri.org

Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations (Stns 2-24)	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24		4½" mesh	5½" mesh	4½" mesh	5½" mesh
	10-Jun	0	0	0	6	37	2	0	0	0	0	0		0	4	6	16
11-Jun	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	-	544
12-Jun	0	0	0	12	72	4	0	0	0	0	0	0	7	22	23	498	519
13-Jun	0	0	0	4	38	6	0	1	0	0	0	0	4	12	12	494	540
14-Jun	0	2	2	2	39	14	4	0	0	0	0	2	5	13	27	497	535
15-Jun	0	0	2	0	60	70	2	10	12	0	0	0	13	61	16	494	526
16-Jun	2	0	12	19	93	310	4	0	0	2	0	2	37	133	88	515	543
17-Jun	0	2	7	13	29	58	0	2	0	0	0	0	9	43	9	516	523
18-Jun	0	2	283	333	188	142	0	2	0	2	4	2	80	291	175	511	527
19-Jun	2	15	93	199	168	317	0	0	0	0	0	0	66	197	201	505	533
20-Jun	4	0	83	92	26	99	2	0	0	2	2	0	26	82	73	496	527
21-Jun	3	0	29	56	109	424	0	0	8	0	5	0	53	160	160	517	531
22-Jun	15	24	60	54	163	534	9	0	0	6	0	2	72	226	170	511	533
23-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mean Stn Index	2	4	44	61	79	152	2	1	2	1	1	1	Total =	1246 (56%)	972 (44%)	509	531

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Month	Day	Station	Net Length (fathoms)	SST at solar noon (°C)	Temp at 11 m deep (°C)	Sea state (ft)	Secchi depth (ft)	Wind (knots)	Tide	MFT (minutes)	4½ Catch	5½ Catch	Catch index	4½ MEFL (mm)	5½ MEFL (mm)	Total raw catch by date
6	10	10	140	NA	3.0	1.7	15.0	NW7	F	34	6	15	37	454	456	21
6	10	12	141	NA	4.0	1.8	18.0	NW8	F	31	0	1	2	0	498	1
6	10	14	142	NA	3.7	2.2	24.0	W9.5	E	30	0	0	0	0	0	0
6	10	16	143	NA	1.3	2.0	27.0	W10	F	28	0	0	0	0	0	0
6	11	2	144	NA	NA	1.0	18.0	SW5	HS	37	0	0	0	0	0	0
6	11	4	145	NA	NA	1.0	18.0	SW3	E	28	0	0	0	0	0	0
6	11	6	146	NA	NA	0.3	6.0	SW3	LS	30	0	0	0	0	0	0
6	11	8	147	NA	NA	1.0	15.0	SW2	LS	29	0	0	0	0	0	0
6	11	10	148	NA	4.4	1.0	15.0	SW1	E	29	0	2	4	0	544	2
6	11	12	149	NA	2.1	2.0	21.0	NW2	F	29	0	0	0	0	0	0
6	11	14	150	NA	1.8	1.0	27.0	NW5	E	29	0	0	0	0	0	0
6	11	16	151	NA	NA	1.0	27.0	NW5	E	34	0	0	0	0	0	0
6	11	18	152	NA	2.8	2.0	NA	NW8	E	31	0	0	0	0	0	0
6	11	20	153	NA	3.4	2.0	24.0	NW8	E	30	0	0	0	0	0	0
6	11	22	154	NA	3.1	2.2	24.0	NW10	F	31	0	0	0	0	0	0
6	11	24	155	NA	NA	2.0	24.0	NW10	E	29	0	0	0	0	0	0
6	12	6	156	NA	2.9	2.5	18.0	NE15	E	31	0	0	0	0	0	0
6	12	8	157	NA	3.9	2.0	18.0	NE12	E	30	4	2	12	460	480	6
6	12	10	158	4.8	3.2	1.5	24.0	NE9	E	31	17	20	72	509	522	37
6	12	12	159	4.5	3.1	1.5	21.0	NE5	LS	31	1	1	4	454	532	2
6	12	14	160	4.2	1.9	1.0	18.0	SW2	HS	31	0	0	0	0	0	0
6	12	16	161	4.3	4.6	2.0	24.0	E3	E	32	0	0	0	0	0	0
6	12	18	162	4.3	2.8	3.0	27.0	NE6	E	34	0	0	0	0	0	0
6	12	20	163	4.6	NA	2.0	27.0	NE5	E	33	0	0	0	0	0	0
6	12	22	164	5.5	4.7	1.0	33.0	NE4	E	31	0	0	0	0	0	0
6	12	24	165	4.2	2.6	2.0	27.0	NW6	E	31	0	0	0	0	0	0
6	13	2	166	NA	4.1	5.0	12.0	NE20	F	29	0	0	0	0	0	0
6	13	4	167	4.3	2.7	5.0	15.0	NE17	E	31	0	0	0	0	0	0
6	13	6	168	5.1	4.9	5.0	24.0	NE17	E	32	0	0	0	0	0	0
6	13	8	169	5.2	4.7	5.0	18.0	NE20	E	29	1	1	4	435	575	2
6	13	10	170	5.1	3.8	6.0	15.0	NE25	LS	30	8	11	38	490	537	19
6	13	12	171	5.1	3.9	5.0	18.0	NE15	F	30	3	0	6	526	0	3
6	13	14	172	4.6	4.4	4.0	21.0	NE12	F	31	0	0	0	0	0	0
6	13	18	173	5.1	4.7	4.0	24.0	NE11	E	31	0	0	0	0	0	0
6	13	20	174	4.6	4.3	4.0	27.0	NE12	E	33	0	0	0	0	0	0
6	13	22	175	5.9	NA	4.0	21.0	NE11	E	36	0	0	0	0	0	0
6	13	24	176	4.9	2.6	NA	NA	NE9	HS	35	0	0	0	0	0	0
6	14	2	177	NA	4.9	1.0	15.0	NE4	F	30	0	0	0	0	0	0
6	14	4	178	4.1	4.2	1.0	21.0	NE2	F	32	1	0	2	459	0	1
6	14	6	179	4.8	4.8	1.0	21.0	NE3	E	34	0	1	2	0	476	1
6	14	8	180	5.0	4.9	2.0	18.0	E7	E	32	1	0	2	420	0	1
6	14	10	181	5.0	4.8	3.0	24.0	NE7	E	40	10	16	39	506	536	26
6	14	12	182	5.0	4.4	2.0	21.0	NE5	F	34	0	8	14	0	547	8
6	14	14	183	4.4	1.6	3.0	30.0	NE8	E	31	0	2	4	0	512	2
6	14	16	184	5.0	1.8	3.0	21.0	N10	E	29	0	0	0	0	0	0
6	14	18	185	5.0	2.5	3.0	30.0	N10	E	29	0	0	0	0	0	0
6	14	20	186	4.9	1.4	2.0	24.0	N6	E	29	0	0	0	0	0	0
6	14	22	187	5.9	2.5	2.0	27.0	N5	E	31	0	0	0	0	0	0
6	14	24	188	5.2	2.5	1.0	24.0	N5	E	30	1	0	2	528	0	1
6	15	2	189	NA	2.7	1.0	15.0	NE4	F	34	0	0	0	0	0	0
6	15	4	190	4.4	4.2	2.0	15.0	W4	HS	31	0	0	0	0	0	0
6	15	6	191	5.1	3.6	2.0	18.0	SW5	E	37	1	0	2	506	0	1
6	15	8	192	5.4	5.4	1.0	21.0	NW3	E	29	0	0	0	0	0	0
6	15	10	193	5.2	5.0	1.0	27.0	NW3	E	29	20	9	60	490	520	29
6	15	12	194	5.2	2.7	0.5	24.0	NW1	F	30	33	2	70	489	518	35
6	15	14	195	4.7	2.4	2.0	27.0	SE7	E	29	1	0	2	519	0	1
6	15	16	196	5.2	1.9	2.0	33.0	E9	E	31	0	5	10	0	539	5
6	15	18	197	5.2	1.5	2.0	24.0	SE9	E	31	6	0	12	527	0	6
6	15	20	198	5.2	2.5	2.0	27.0	SE8	E	30	0	0	0	0	0	0
6	15	22	199	5.2	2.9	1.5	27.0	E9	F	28	0	0	0	0	0	0
6	15	24	200	5.8	2.3	0.5	24.0	E5	F	30	0	0	0	0	0	0

6	16	2	200	NA	NA	1.0	21.0	SW4	E	29	1	0	2	537	0	1
6	16	4	200	5.1	4.4	1.0	24.0	NW5	F	31	0	0	0	0	0	0
6	16	6	200	5.8	4.4	2.0	24.0	NW6	F	30	6	0	12	480	0	6
6	16	8	200	5.8	4.4	2.0	24.0	NW5	E	28	2	7	19	465	554	9
6	16	10	200	5.8	4.4	1.0	30.0	NW4	E	33	45	6	93	513	518	51
6	16	12	200	5.4	1.6	2.0	30.0	W5	F	29	75	75	310	521	544	150
6	16	14	200	5.2	1.8	1.0	33.0	W5	F	32	2	0	4	518	0	2
6	16	16	200	5.5	2.1	2.0	39.0	W5	E	32	0	0	0	0	0	0
6	16	18	200	5.5	1.2	2.0	30.0	W5	E	31	0	0	0	0	0	0
6	16	20	200	5.5	3.8	2.0	27.0	W5	E	29	1	0	2	440	0	1
6	16	22	200	5.3	2.4	2.0	27.0	W5	E	28	0	0	0	0	0	0
6	16	24	200	6.2	NA	2.0	21.0	W5	E	28	1	0	2	544	0	1
6	17	2	200	NA	4.4	1.0	21.0	SW4	F	32	0	0	0	0	0	0
6	17	4	200	5.4	NA	0.5	24.0	SW2	F	32	1	0	2	467	0	1
6	17	6	200	5.8	4.9	1.0	30.0	SW3	F	26	3	0	7	520	0	3
6	17	8	200	6.0	NA	1.0	24.0	SW2	E	28	6	0	13	502	0	6
6	17	10	200	5.9	5.5	1.0	27.0	W2	E	25	12	0	29	523	0	12
6	17	12	200	5.8	2.5	0.5	24.0	W2	E	30	20	9	58	525	523	29
6	17	14	200	5.4	NA	1.0	36.0	W3	E	30	0	0	0	0	0	0
6	17	16	200	6.1	2.1	1.0	33.0	W5	E	33	1	0	2	384	0	1
6	17	18	200	6.0	1.3	1.0	39.0	W5	E	29	0	0	0	0	0	0
6	17	20	200	5.7	1.8	1.5	33.0	W5	E	30	0	0	0	0	0	0
6	17	22	200	6.2	3.0	1.0	30.0	W5	F	28	0	0	0	0	0	0
6	17	24	200	6.5	2.7	1.5	30.0	W8	F	32	0	0	0	0	0	0
6	18	2	200	NA	3.2	1.0	27.0	N4	E	30	0	0	0	0	0	0
6	18	4	200	6.1	2.6	1.0	21.0	W4	E	28	1	0	2	527	0	1
6	18	6	200	6.2	2.4	1.0	39.0	W4	E	29	91	46	283	499	515	137
6	18	8	200	6.4	1.8	1.0	N/A	W4	F	29	119	42	333	509	536	161
6	18	10	200	6.1	4.5	2.0	33.0	W5	F	29	36	55	188	530	533	91
6	18	12	200	6.2	2.6	1.0	30.0	W5	E	30	43	28	142	525	520	71
6	18	14	200	5.7	2.1	1.0	21.0	NW6	E	32	0	0	0	0	0	0
6	18	16	200	6.4	2.0	2.0	24.0	NW6	E	31	0	1	2	0	531	1
6	18	18	200	6.2	6.3	2.0	24.0	NW3	F	28	0	0	0	0	0	0
6	18	20	200	6.1	2.6	1.0	24.0	NW3	E	31	1	0	2	489	0	1
6	18	22	200	7.0	5.0	2.0	21.0	NW5	E	30	0	2	4	0	546	2
6	18	24	200	6.6	3.0	1.0	18.0	W5	E	33	0	1	2	0	548	1
6	19	2	200	NA	2.9	1.0	30.0	NE5	E	29	1	0	2	454	0	1
6	19	4	200	6.3	2.4	0.0	30.0	0	F	31	8	0	15	503	0	8
6	19	6	200	6.4	4.9	0.5	39.0	N5	F	29	30	15	93	493	536	45
6	19	8	200	6.7	2.9	1.0	39.0	N5	F	29	44	52	199	500	520	96
6	19	10	200	6.5	3.6	1.0	42.0	N5	E	30	56	28	168	499	524	84
6	19	12	200	7.0	5.1	1.0	39.0	N5	E	31	58	106	317	522	542	164
6	19	14	200	5.8	2.1	0.5	33.0	NW3	E	26	0	0	0	0	0	0
6	19	16	200	6.7	2.1	0.5	30.0	NW2	E	26	0	0	0	0	0	0
6	19	18	200	6.5	1.6	1.0	33.0	NW2	F	28	0	0	0	0	0	0
6	19	20	200	6.4	NA	2.0	24.0	NW3	F	30	0	0	0	0	0	0
6	19	22	200	7.2	NA	2.0	24.0	NW4	F	31	0	0	0	0	0	0
6	19	24	200	7.0	2.9	3.0	18.0	NW8	LS	31	0	0	0	0	0	0
6	20	2	200	NA	3.2	3.0	15.0	NE8	F	28	1	1	4	528	535	2
6	20	4	200	6.1	2.4	3.0	15.0	NE7	E	29	0	0	0	0	0	0
6	20	6	200	6.7	4.5	1.0	21.0	NE5	F	31	26	17	83	473	515	43
6	20	8	200	6.9	3.2	1.0	24.0	NW4	F	32	18	31	92	492	525	49
6	20	10	200	6.8	5.7	0.5	33.0	NW2	LS	28	12	0	26	504	0	12
6	20	12	200	7.3	2.6	0.5	33.0	NW3	E	28	24	22	99	516	536	46
6	20	14	200	6.7	2.1	1.0	36.0	N3	E	29	0	1	2	0	535	1
6	20	16	200	7.1	2.0	1.0	30.0	N3	F	30	0	0	0	0	0	0
6	20	18	200	7.1	1.5	0.0	39.0	0	F	30	0	0	0	0	0	0
6	20	20	200	6.5	1.7	0.0	36.0	0	F	30	1	0	2	538	0	1
6	20	22	200	7.4	3.3	0.0	30.0	0	E	30	0	1	2	0	568	1
6	20	24	200	6.3	3.0	0.0	27.0	0	E	30	0	0	0	0	0	0
6	21	2	200	NA	2.9	2.0	18.0	NE7	E	91	1	4	3	526	517	5
6	21	4	200	6.2	2.4	1.0	18.0	NE4	F	29	0	0	0	0	0	0
6	21	6	200	6.8	6.1	1.0	18.0	NE3	F	29	1	13	29	517	514	14
6	21	8	200	6.9	2.1	1.0	18.0	NE6	F	31	17	12	56	493	527	29

6	21	10	200	6.7	6.1	1.0	18.0	NE4	E	33	33	27	109	502	517	60
6	21	12	200	7.2	5.2	1.0	36.0	W7	E	29	106	99	424	525	537	205
6	21	14	200	6.9	2.1	1.0	33.0	W7	E	29	0	0	0	0	0	0
6	21	16	200	7.2	2.0	1.0	33.0	W5	E	28	0	0	0	0	0	0
6	21	18	200	7.3	1.5	1.0	39.0	W5	E	29	0	4	8	0	538	4
6	21	20	200	6.9	NA	1.0	36.0	N5	F	31	0	0	0	0	0	0
6	21	22	200	7.5	3.3	1.0	30.0	N5	F	33	2	1	5	547	555	3
6	21	24	200	7.3	3.0	1.0	30.0	N5	F	30	0	0	0	0	0	0
6	22	2	200	NA	N/A	1.0	N/A	W3	F	24	6	0	15	509	0	6
6	22	6	200	6.7	2.8	1.0	NA	W3	F	30	28	2	60	491	476	30
6	22	8	200	7.1	2.0	1.0	30.0	W5	F	30	22	5	54	502	534	27
6	22	10	200	6.9	5.6	1.0	36.0	W5	E	28	38	38	163	517	517	76
6	22	12	200	7.8	1.7	1.0	30.0	E5	E	28	124	125	534	514	539	249
6	22	14	200	7.5	2.3	0.5	27.0	NE2	E	28	4	0	9	528	0	4
6	22	16	200	7.7	2.0	0.5	27.0	NE3	F	32	0	0	0	0	0	0
6	22	18	200	8.1	1.5	0.5	30.0	NE2	F	32	0	0	0	0	0	0
6	22	20	200	7.7	2.3	0.5	30.0	NE2	HS	28	3	0	6	534	0	3
6	22	22	200	8.5	4.5	0.5	30.0	NE1	E	28	0	0	0	0	0	0
6	22	24	200	8.1	3.6	0.5	18.0	NE1	E	26	1	0	2	496	0	1

(A) The 2026 Port Moller Daily Catch Index (averaged from Stations 2-24) parsed by district based on genetic stock composition estimates. **(B)** Observed C+E parsed by district. District colors are approximations of those used for stocks by ADF&G's gene lab in their stock composition reports.

