

PMTF Catch Update #20, June 29, 2026

https://www.bbsri.org/?mc_cid=e9bcd28f03&mc_eid=UNIQID

** Port Moller Test Fish Catch Update

** Catch Update #20, June 29, 2026

1-PMTF Catch Update Table (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/5d5d5da2-6c9a-4ef6-d690-2c2536d9cd37/PMTF_Catch_Update_Table.49.pdf?mc_cid=e9bcd28f03&mc_eid=UNIQID)

2-PMTF Raw Data (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/ab89eda5-3160-77bb-5de6-1488ecb20392/PMTF_Raw_Data.50.pdf?mc_cid=e9bcd28f03&mc_eid=UNIQID)

3-C+E by District and Day for 2011-2026 (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/5c976a4c-8462-85ec-189a-d044e6412ca1/HistoricalCEandPMTF.19.pdf?mc_cid=e9bcd28f03&mc_eid=UNIQID)

4-Age Composition #1 (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/eee3d45c-00bc-26b9-50c4-a176d7397759/Age_Comp_Report_6_29_2026.pdf?mc_cid=e9bcd28f03&mc_eid=UNIQID)

Good evening,

Down again today, but like yesterday, fishing conditions were rough causing a few stations to be missed. We still see no indication that the total run magnitude will be lighter than the presason forecast.

Please notice the 1st age composition for the season in Link 4 above.

PMTF Stock Composition Status: The stock composition for June 28-29 should be released 6/30 or 7/1.

Index by Station

S2: Not fished

S4: Not fished

S6: 158

S8: 135

S10: 51

S12: 15

S14: 0

S16: 4

S18: 2

S20: 0

S22: 4

S24: Not fished

Daily Catch Index = 39

Jordan (<mailto:jordan@bbsri.org?subject=PMTF%20Daily%20Update%20Reply&body=Hi%20Jordan%2C>) and Scott (<mailto:raborn@lgl.com?subject=PMTF%20Catch%20Update%20Reply&body=Hello%20Scott%2C%0A>)

PMTF Website Project Page (Click Here (https://www.bbsri.org/pmtf?mc_cid=e9bcd28f03&mc_eid=UNIQ))

ID))

BBSRI Inseason Data Page (Click Here (https://www.bbsri.org/inseason-data?mc_cid=e9bcd28f03&mc_eid=UNIQID))

BBSRI . 8427 Laviento Dr Ste 101 . Anchorage, AK 99515-1951 . USA

Port Moller Test Fishery: Catch Update #20 29 June 2026.

All updates sent by email are also posted online at www.bbsri.org

Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations (Stns 2-24)	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24		4½" mesh	5½" mesh	4½" mesh	5½" mesh
10-Jun	0	0	1	3	37	2	0	0	0	0	0	0	4	6	16	454	459
11-Jun	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	-	544
12-Jun	0	0	0	12	72	4	0	0	0	0	0	0	7	22	23	498	519
13-Jun	0	0	0	4	38	6	0	1	0	0	0	0	4	12	12	494	540
14-Jun	0	2	2	2	39	14	4	0	0	0	0	2	5	13	27	497	535
15-Jun	0	0	2	0	60	70	2	10	12	0	0	0	13	61	16	494	526
16-Jun	2	0	12	19	93	310	4	0	0	2	0	2	37	133	88	515	543
17-Jun	0	2	7	13	29	58	0	2	0	0	0	0	9	43	9	516	523
18-Jun	0	2	283	333	188	142	0	2	0	2	4	2	80	291	175	511	527
19-Jun	2	15	93	199	168	317	0	0	0	0	0	0	66	197	201	505	533
20-Jun	4	0	83	92	26	99	2	0	0	2	2	0	26	82	73	496	527
21-Jun	3	0	29	56	109	424	0	0	8	0	5	0	53	160	160	517	531
22-Jun	15	23	60	54	163	534	9	0	0	6	0	2	72	226	170	511	533
23-Jun	4	0	151	0	358	286	4	9	0	14	12	2	70	204	206	518	528
24-Jun	3	64	60	238	186	336	10	10	2	0	19	3	78	277	171	516	535
25-Jun	10	41	151	149	275	103	4	15	2	0	7	3	63	182	179	516	535
26-Jun	9	143	114	126	132	35	0	2	0	4	2	7	48	116	162	512	529
27-Jun	2	178	64	170	386	178	3	0	6	5	0	0	83	272	206	519	538
28-Jun	0	90	109	154	23	28	9	2	0	2	2	2	35	131	109	510	528
29-Jun	22	73	158	135	51	15	0	4	2	0	4	1	39	104	99	514	527
30-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
1-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
2-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
3-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
4-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
5-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
6-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
7-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
8-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
9-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
10-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
11-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
12-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
13-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
Mean Stn Index	4	32	69	88	122	148	2	3	2	2	3	1	Total =	2532 (55%)	2104 (45%)	512	531

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.


Month	Day	Station	Net Length (fathoms)	SST at solar noon (°C)	Temp at 11 m deep (°C)	Sea state (ft)	Secchi depth (ft)	Wind (knots)	Tide	MFT (minutes)	4½ Catch	5½ Catch	Catch index	4½ MEFL (mm)	5½ MEFL (mm)	Total raw catch by date
6	10	10	140	NA	3.0	1.7	15.0	NW7	F	34	6	15	37	454	456	21
6	10	12	141	NA	4.0	1.8	18.0	NW8	F	31	0	1	2	0	498	1
6	10	14	142	NA	3.7	2.2	24.0	W9.5	E	30	0	0	0	0	0	0
6	10	16	143	NA	1.3	2.0	27.0	W10	F	28	0	0	0	0	0	0
6	11	2	144	NA	NA	1.0	18.0	SW5	HS	37	0	0	0	0	0	0
6	11	4	145	NA	NA	1.0	18.0	SW3	E	28	0	0	0	0	0	0
6	11	6	146	NA	NA	0.3	6.0	SW3	LS	30	0	0	0	0	0	0
6	11	8	147	NA	NA	1.0	15.0	SW2	LS	29	0	0	0	0	0	0
6	11	10	148	NA	4.4	1.0	15.0	SW1	E	29	0	2	4	0	544	2
6	11	12	149	NA	2.1	2.0	21.0	NW2	F	29	0	0	0	0	0	0
6	11	14	150	NA	1.8	1.0	27.0	NW5	E	29	0	0	0	0	0	0
6	11	16	151	NA	NA	1.0	27.0	NW5	E	34	0	0	0	0	0	0
6	11	18	152	NA	2.8	2.0	NA	NW8	E	31	0	0	0	0	0	0
6	11	20	153	NA	3.4	2.0	24.0	NW8	E	30	0	0	0	0	0	0
6	11	22	154	NA	3.1	2.2	24.0	NW10	F	31	0	0	0	0	0	0
6	11	24	155	NA	NA	2.0	24.0	NW10	E	29	0	0	0	0	0	0
6	12	6	156	NA	2.9	2.5	18.0	NE15	E	31	0	0	0	0	0	0
6	12	8	157	NA	3.9	2.0	18.0	NE12	E	30	4	2	12	460	480	6
6	12	10	158	4.8	3.2	1.5	24.0	NE9	E	31	17	20	72	509	522	37
6	12	12	159	4.5	3.1	1.5	21.0	NE5	LS	31	1	1	4	454	532	2
6	12	14	160	4.2	1.9	1.0	18.0	SW2	HS	31	0	0	0	0	0	0
6	12	16	161	4.3	4.6	2.0	24.0	E3	E	32	0	0	0	0	0	0
6	12	18	162	4.3	2.8	3.0	27.0	NE6	E	34	0	0	0	0	0	0
6	12	20	163	4.6	NA	2.0	27.0	NE5	E	33	0	0	0	0	0	0
6	12	22	164	5.5	4.7	1.0	33.0	NE4	E	31	0	0	0	0	0	0
6	12	24	165	4.2	2.6	2.0	27.0	NW6	E	31	0	0	0	0	0	0
6	13	2	166	NA	4.1	5.0	12.0	NE20	F	29	0	0	0	0	0	0
6	13	4	167	4.3	2.7	5.0	15.0	NE17	E	31	0	0	0	0	0	0
6	13	6	168	5.1	4.9	5.0	24.0	NE17	E	32	0	0	0	0	0	0
6	13	8	169	5.2	4.7	5.0	18.0	NE20	E	29	1	1	4	435	575	2
6	13	10	170	5.1	3.8	6.0	15.0	NE25	LS	30	8	11	38	490	537	19
6	13	12	171	5.1	3.9	5.0	18.0	NE15	F	30	3	0	6	526	0	3
6	13	14	172	4.6	4.4	4.0	21.0	NE12	F	31	0	0	0	0	0	0
6	13	18	173	5.1	4.7	4.0	24.0	NE11	E	31	0	0	0	0	0	0
6	13	20	174	4.6	4.3	4.0	27.0	NE12	E	33	0	0	0	0	0	0
6	13	22	175	5.9	NA	4.0	21.0	NE11	E	36	0	0	0	0	0	0
6	13	24	176	4.9	2.6	NA	NA	NE9	HS	35	0	0	0	0	0	0
6	14	2	177	NA	4.9	1.0	15.0	NE4	F	30	0	0	0	0	0	0
6	14	4	178	4.1	4.2	1.0	21.0	NE2	F	32	1	0	2	459	0	1
6	14	6	179	4.8	4.8	1.0	21.0	NE3	E	34	0	1	2	0	476	1
6	14	8	180	5.0	4.9	2.0	18.0	E7	E	32	1	0	2	420	0	1
6	14	10	181	5.0	4.8	3.0	24.0	NE7	E	40	10	16	39	506	536	26
6	14	12	182	5.0	4.4	2.0	21.0	NE5	F	34	0	8	14	0	547	8
6	14	14	183	4.4	1.6	3.0	30.0	NE8	E	31	0	2	4	0	512	2
6	14	16	184	5.0	1.8	3.0	21.0	N10	E	29	0	0	0	0	0	0
6	14	18	185	5.0	2.5	3.0	30.0	N10	E	29	0	0	0	0	0	0
6	14	20	186	4.9	1.4	2.0	24.0	N6	E	29	0	0	0	0	0	0
6	14	22	187	5.9	2.5	2.0	27.0	N5	E	31	0	0	0	0	0	0
6	14	24	188	5.2	2.5	1.0	24.0	N5	E	30	1	0	2	528	0	1
6	15	2	189	NA	2.7	1.0	15.0	NE4	F	34	0	0	0	0	0	0
6	15	4	190	4.4	4.2	2.0	15.0	W4	HS	31	0	0	0	0	0	0
6	15	6	191	5.1	3.6	2.0	18.0	SW5	E	37	1	0	2	506	0	1
6	15	8	192	5.4	5.4	1.0	21.0	NW3	E	29	0	0	0	0	0	0
6	15	10	193	5.2	5.0	1.0	27.0	NW3	E	29	20	9	60	490	520	29
6	15	12	194	5.2	2.7	0.5	24.0	NW1	F	30	33	2	70	489	518	35
6	15	14	195	4.7	2.4	2.0	27.0	SE7	E	29	1	0	2	519	0	1
6	15	16	196	5.2	1.9	2.0	33.0	E9	E	31	0	5	10	0	539	5
6	15	18	197	5.2	1.5	2.0	24.0	SE9	E	31	6	0	12	527	0	6
6	15	20	198	5.2	2.5	2.0	27.0	SE8	E	30	0	0	0	0	0	0
6	15	22	199	5.2	2.9	1.5	27.0	E9	F	28	0	0	0	0	0	0
6	15	24	200	5.8	2.3	0.5	24.0	E5	F	30	0	0	0	0	0	0

6	16	2	200	NA	NA	1.0	21.0	SW4	E	29	1	0	2	537	0	1
6	16	4	200	5.1	4.4	1.0	24.0	NW5	F	31	0	0	0	0	0	0
6	16	6	200	5.8	4.4	2.0	24.0	NW6	F	30	6	0	12	480	0	6
6	16	8	200	5.8	4.4	2.0	24.0	NW5	E	28	2	7	19	465	554	9
6	16	10	200	5.8	4.4	1.0	30.0	NW4	E	33	45	6	93	513	518	51
6	16	12	200	5.4	1.6	2.0	30.0	W5	F	29	75	75	310	521	544	150
6	16	14	200	5.2	1.8	1.0	33.0	W5	F	32	2	0	4	518	0	2
6	16	16	200	5.5	2.1	2.0	39.0	W5	E	32	0	0	0	0	0	0
6	16	18	200	5.5	1.2	2.0	30.0	W5	E	31	0	0	0	0	0	0
6	16	20	200	5.5	3.8	2.0	27.0	W5	E	29	1	0	2	440	0	1
6	16	22	200	5.3	2.4	2.0	27.0	W5	E	28	0	0	0	0	0	0
6	16	24	200	6.2	NA	2.0	21.0	W5	E	28	1	0	2	544	0	1
6	17	2	200	NA	4.4	1.0	21.0	SW4	F	32	0	0	0	0	0	0
6	17	4	200	5.4	NA	0.5	24.0	SW2	F	32	1	0	2	467	0	1
6	17	6	200	5.8	4.9	1.0	30.0	SW3	F	26	3	0	7	520	0	3
6	17	8	200	6.0	NA	1.0	24.0	SW2	E	28	6	0	13	502	0	6
6	17	10	200	5.9	5.5	1.0	27.0	W2	E	25	12	0	29	523	0	12
6	17	12	200	5.8	2.5	0.5	24.0	W2	E	30	20	9	58	525	523	29
6	17	14	200	5.4	NA	1.0	36.0	W3	E	30	0	0	0	0	0	0
6	17	16	200	6.1	2.1	1.0	33.0	W5	E	33	1	0	2	384	0	1
6	17	18	200	6.0	1.3	1.0	39.0	W5	E	29	0	0	0	0	0	0
6	17	20	200	5.7	1.8	1.5	33.0	W5	E	30	0	0	0	0	0	0
6	17	22	200	6.2	3.0	1.0	30.0	W5	F	28	0	0	0	0	0	0
6	17	24	200	6.5	2.7	1.5	30.0	W8	F	32	0	0	0	0	0	0
6	18	2	200	NA	3.2	1.0	27.0	N4	E	30	0	0	0	0	0	0
6	18	4	200	6.1	2.6	1.0	21.0	W4	E	28	1	0	2	527	0	1
6	18	6	200	6.2	2.4	1.0	39.0	W4	E	29	91	46	283	499	515	137
6	18	8	200	6.4	1.8	1.0	NA	W4	F	29	119	42	333	509	536	161
6	18	10	200	6.1	4.5	2.0	33.0	W5	F	29	36	55	188	530	533	91
6	18	12	200	6.2	2.6	1.0	30.0	W5	E	30	43	28	142	525	520	71
6	18	14	200	5.7	2.1	1.0	21.0	NW6	E	32	0	0	0	0	0	0
6	18	16	200	6.4	2.0	2.0	24.0	NW6	E	31	0	1	2	0	531	1
6	18	18	200	6.2	6.3	2.0	24.0	NW3	F	28	0	0	0	0	0	0
6	18	20	200	6.1	2.6	1.0	24.0	NW3	E	31	1	0	2	489	0	1
6	18	22	200	7.0	5.0	2.0	21.0	NW5	E	30	0	2	4	0	546	2
6	18	24	200	6.6	3.0	1.0	18.0	W5	E	33	0	1	2	0	548	1
6	19	2	200	NA	2.9	1.0	30.0	NE5	E	29	1	0	2	454	0	1
6	19	4	200	6.3	2.4	0.0	30.0	0	F	31	8	0	15	503	0	8
6	19	6	200	6.4	4.9	0.5	39.0	N5	F	29	30	15	93	493	536	45
6	19	8	200	6.7	2.9	1.0	39.0	N5	F	29	44	52	199	500	520	96
6	19	10	200	6.5	3.6	1.0	42.0	N5	E	30	56	28	168	499	524	84
6	19	12	200	7.0	5.1	1.0	39.0	N5	E	31	58	106	317	522	542	164
6	19	14	200	5.8	2.1	0.5	33.0	NW3	E	26	0	0	0	0	0	0
6	19	16	200	6.7	2.1	0.5	30.0	NW2	E	26	0	0	0	0	0	0
6	19	18	200	6.5	1.6	1.0	33.0	NW2	F	28	0	0	0	0	0	0
6	19	20	200	6.4	NA	2.0	24.0	NW3	F	30	0	0	0	0	0	0
6	19	22	200	7.2	NA	2.0	24.0	NW4	F	31	0	0	0	0	0	0
6	19	24	200	7.0	2.9	3.0	18.0	NW8	LS	31	0	0	0	0	0	0
6	20	2	200	NA	3.2	3.0	15.0	NE8	F	28	1	1	4	528	535	2
6	20	4	200	6.1	2.4	3.0	15.0	NE7	E	29	0	0	0	0	0	0
6	20	6	200	6.7	4.5	1.0	21.0	NE5	F	31	26	17	83	473	515	43
6	20	8	200	6.9	3.2	1.0	24.0	NW4	F	32	18	31	92	492	525	49
6	20	10	200	6.8	5.7	0.5	33.0	NW2	LS	28	12	0	26	504	0	12
6	20	12	200	7.3	2.6	0.5	33.0	NW3	E	28	24	22	99	516	536	46
6	20	14	200	6.7	2.1	1.0	36.0	N3	E	29	0	1	2	0	535	1
6	20	16	200	7.1	2.0	1.0	30.0	N3	F	30	0	0	0	0	0	0
6	20	18	200	7.1	1.5	0.0	39.0	0	F	30	0	0	0	0	0	0
6	20	20	200	6.5	1.7	0.0	36.0	0	F	30	1	0	2	538	0	1
6	20	22	200	7.4	3.3	0.0	30.0	0	E	30	0	1	2	0	568	1
6	20	24	200	6.3	3.0	0.0	27.0	0	E	30	0	0	0	0	0	0
6	21	2	200	NA	2.9	2.0	18.0	NE7	E	91	1	4	3	526	517	5
6	21	4	200	6.2	2.4	1.0	18.0	NE4	F	29	0	0	0	0	0	0
6	21	6	200	6.8	6.1	1.0	18.0	NE3	F	29	1	13	29	517	514	14
6	21	8	200	6.9	2.1	1.0	18.0	NE6	F	31	17	12	56	493	527	29


6	21	10	200	6.7	6.1	1.0	18.0	NE4	E	33	33	27	109	502	517	60
6	21	12	200	7.2	5.2	1.0	36.0	W7	E	29	106	99	424	525	537	205
6	21	14	200	6.9	2.1	1.0	33.0	W7	E	29	0	0	0	0	0	0
6	21	16	200	7.2	2.0	1.0	33.0	W5	E	28	0	0	0	0	0	0
6	21	18	200	7.3	1.5	1.0	39.0	W5	E	29	0	4	8	0	538	4
6	21	20	200	6.9	NA	1.0	36.0	N5	F	31	0	0	0	0	0	0
6	21	22	200	7.5	3.3	1.0	30.0	N5	F	33	2	1	5	547	555	3
6	21	24	200	7.3	3.0	1.0	30.0	N5	F	30	0	0	0	0	0	0
6	22	2	200	NA	NA	1.0	NA	W3	F	24	6	0	15	509	0	6
6	22	6	200	6.7	2.8	1.0	NA	W3	F	30	28	2	60	491	476	30
6	22	8	200	7.1	2.0	1.0	30.0	W5	F	30	22	5	54	502	534	27
6	22	10	200	6.9	5.6	1.0	36.0	W5	E	28	38	38	163	517	517	76
6	22	12	200	7.8	1.7	1.0	30.0	E5	E	28	124	125	534	514	539	249
6	22	14	200	7.5	2.3	0.5	27.0	NE2	E	28	4	0	9	528	0	4
6	22	16	200	7.7	2.0	0.5	27.0	NE3	F	32	0	0	0	0	0	0
6	22	18	200	8.1	1.5	0.5	30.0	NE2	F	32	0	0	0	0	0	0
6	22	20	200	7.7	2.3	0.5	30.0	NE2	HS	28	3	0	6	534	0	3
6	22	22	200	8.5	4.5	0.5	30.0	NE1	E	28	0	0	0	0	0	0
6	22	24	200	8.1	3.6	0.5	18.0	NE1	E	26	1	0	2	496	0	1
6	23	2	200	NA	2.9	0.5	NA	N3	HS	30	1	1	4	475	482	2
6	23	4	200	8.8	2.5	0.5	NA	N3	E	28	0	0	0	0	0	0
6	23	6	200	8.2	5.7	0.5	39.0	N3	E	31	53	25	151	495	509	78
6	23	8	200	9.2	3.4	0.5	42.0	N3	F	29	0	0	0	0	0	0
6	23	10	200	9.1	1.8	0.5	36.0	N3	F	28	81	86	358	528	535	167
6	23	12	200	9.6	2.0	0.5	36.0	N3	F	30	52	91	286	524	527	143
6	23	14	200	9.3	2.1	0.5	24.0	N1	E	28	2	0	4	488	0	2
6	23	16	200	9.5	2.2	0.5	27.0	N2	E	28	1	3	9	479	551	4
6	23	18	200	9.5	1.5	1.0	27.0	N2	F	29	0	0	0	0	0	0
6	23	20	200	8.9	1.8	0.5	30.0	N1	F	30	7	0	14	549	0	7
6	23	22	200	9.4	3.7	0.5	24.0	N3	LS	31	6	0	12	534	0	6
6	23	24	200	NA	2.9	0.5	21.0	N2	E	26	1	0	2	435	0	1
6	24	2	200	NA	2.8	1.0	0.0	E7	F	18	0	1	3	0	541	1
6	24	4	200	9.2	2.5	1.0	24.0	E7	F	29	17	14	64	510	532	31
6	24	6	200	8.0	3.5	1.0	36.0	SE8	E	28	19	9	60	516	530	28
6	24	8	200	8.2	2.3	2.0	33.0	SE10	E	29	73	42	238	505	529	115
6	24	10	200	8.0	5.8	1.5	36.0	E8	E	31	48	48	186	524	532	96
6	24	12	200	8.8	1.6	1.0	39.0	E10	F	28	107	50	336	523	544	157
6	24	14	200	8.7	2.4	3.0	21.0	E7	E	31	3	2	10	467	557	5
6	24	16	200	9.6	2.1	3.0	24.0	E7	E	30	4	1	10	511	580	5
6	24	18	200	9.3	1.8	3.0	30.0	E8	LS	27	0	1	2	0	525	1
6	24	20	200	9.2	2.0	2.0	24.0	E6	LS	29	0	0	0	0	0	0
6	24	22	200	9.6	NA	1.0	24.0	SE4	E	29	6	3	19	505	539	9
6	25	4	200	8.3	2.6	1.0	24.0	S5	E	28	11	8	41	493	518	19
6	25	6	200	8.5	5.2	1.0	30.0	S5	E	29	52	21	151	509	531	73
6	25	8	200	8.5	2.3	1.0	33.0	S5	F	29	32	40	149	525	530	72
6	25	10	200	7.4	2.9	0.5	30.0	S5	F	29	51	82	275	528	539	133
6	25	12	200	8.4	1.6	0.5	33.0	SE2	E	31	27	26	103	502	540	53
6	25	14	200	5.9	2.5	2.0	24.0	SE2	E	31	1	1	4	499	565	2
6	25	16	200	7.5	2.2	2.0	24.0	SE4	E	31	8	0	15	528	0	8
6	25	18	200	8.7	NA	3.0	27.0	SE5	E	28	0	1	2	0	521	1
6	25	20	200	8.7	NA	1.0	30.0	SE5	E	28	0	0	0	0	0	0
6	26	2	200	NA	3.6	0.5	24.0	W4	F	27	3	1	9	523	540	4
6	26	4	200	8.8	N/A	1.0	27.0	W8	E	29	21	48	143	525	527	69
6	26	6	200	8.4	3.6	1.0	27.0	W8	E	29	40	15	114	509	539	55
6	26	8	200	8.9	4.6	1.0	30.0	W5	E	30	29	34	126	509	515	63
6	26	10	200	8.1	6.2	1.0	30.0	W5	E	29	10	54	132	503	537	64
6	26	12	200	8.4	1.7	1.0	27.0	W5	F	29	13	4	35	509	530	17
6	26	14	200	6.7	5.5	1.0	21.0	W5	E	29	0	0	0	0	0	0
6	26	16	200	8.6	7.2	3.0	24.0	W7	E	28	0	1	2	0	531	1
6	26	18	200	8.8	1.8	4.0	27.0	W10	E	25	0	0	0	0	0	0
6	26	20	200	9.0	2.0	3.0	24.0	W5	E	28	0	2	4	0	542	2
6	26	22	200	8.8	2.8	4.0	24.0	W8	E	33	0	1	2	0	514	1
6	26	24	200	NA	3.3	2.0	N/A	W5	E	17	0	2	7	0	511	2
6	27	2	200	NA	2.9	2.0	27.0	S5	F	28	0	1	2	0	546	1

6	27	4	200	9.1	2.7	2.0	24.0	S5	E	31	60	32	178	514	531	92
6	27	6	200	9.1	3.7	3.0	24.0	S8	E	28	13	17	64	501	553	30
6	27	8	200	9.0	5.7	3.0	24.0	S8	E	29	53	29	170	513	526	82
6	27	10	200	8.6	2.9	3.0	27.0	S8	E	28	109	71	386	528	542	180
6	27	12	200	8.1	1.6	3.0	27.0	S8	F	29	34	52	178	515	540	86
6	27	14	200	6.9	1.9	4.0	24.0	SW4	E	24	1	0	3	444	0	1
6	27	16	200	8.9	2.3	2.0	21.0	SW5	E	28	0	0	0	0	0	0
6	27	18	200	9.1	1.9	2.0	27.0	SW5	E	30	0	3	6	0	500	3
6	27	20	200	8.1	1.8	3.0	27.0	S4	E	33	2	1	5	506	498	3
6	27	22	200	9.0	4.1	4.0	24.0	SW6	E	28	0	0	0	0	0	0
6	27	24	200	NA	3.3	3.0	18.0	SW7	E	29	0	0	0	0	0	0
6	28	2	200	NA	3.9	6.0	18.0	SW15	E	30	0	0	0	0	0	0
6	28	4	200	8.9	2.5	4.0	18.0	SW9	E	34	42	9	90	512	533	51
6	28	6	200	8.7	6.3	4.0	24.0	SW12	E	37	32	35	109	508	528	67
6	28	8	200	8.2	6.1	6.0	21.0	SW15	F	35	45	45	154	512	525	90
6	28	10	200	8.5	7.0	5.0	18.0	SW16	HS	29	3	8	23	504	509	11
6	28	12	200	8.6	1.8	5.0	18.0	SW15	F	28	5	8	28	493	540	13
6	28	14	200	7.1	2.5	4.0	18.0	SW18	E	28	2	2	9	476	582	4
6	28	16	200	7.5	2.2	4.0	21.0	SW15	E	29	1	0	2	530	0	1
6	28	18	200	9.0	1.8	4.0	18.0	SW15	E	30	0	0	0	0	0	0
6	28	20	200	8.0	1.9	5.0	18.0	SW17	E	32	1	0	2	525	0	1
6	28	22	200	8.4	2.6	5.0	18.0	SW18	E	28	0	1	0	0	534	1
6	28	24	200	NA	3.6	5.0	18.0	SW18	E	30	0	1	2	0	555	1
6	29	6	200	8.3	0.0	5.0	18.0	SW14	E	40	40	65	158	512	527	105
6	29	8	200	8.0	7.9	5.0	21.0	SW10	E	28	48	15	135	515	536	63
6	29	10	200	7.8	4.7	4.0	18.0	SW11	LS	27	6	17	51	471	515	23
6	29	12	200	6.1	1.8	4.0	21.0	SW12	F	28	7	0	15	545	0	7
6	29	14	200	5.8	5.5	5.0	18.0	SW15	E	31	0	0	0	0	0	0
6	29	16	200	6.9	2.8	5.0	21.0	SW16	E	29	1	1	4	550	577	2
6	29	18	200	8.7	1.9	6.0	18.0	SW18	E	29	1	0	2	534	0	1
6	29	20	200	6.9	1.9	6.0	18.0	SW18	E	28	0	0	0	0	0	0
6	29	22	200	7.2	2.8	6.0	15.0	SW22	F	31	1	1	4	540	525	2


PMTF Daily Index and inshore catch + escapement (C+E) for 2011-2026. Gray area curve = observed C+E for historical years scaled to the left vertical axis; red columns = observed C+E for 2026. Black lines = respective Daily PMTF Catch Indices for each historical year; the red line = a 3-day moving average of the Daily Catch Index for 2026 based on Stations 2-24 (units for the daily indices are not shown, but all graphs are scaled the same). The green line shown for the 2025 panel reflects the 2026 Daily Catch Index without a moving average. Catch Indices for years prior to 2018 represent the average catch-per-unit-effort (CPUE) across Stations 2-10. Furthermore, a shallower net (6 m deep) was used during 2011-2019; beginning in 2020 the net depth has been 11 m deep. Run timing for C+E was estimated by comparing each year's date when 50% of the run reached inshore to July 4 for reference. Blue vertical lines highlight July 4 for reference.




Seasonal sockeye C+E by district, 2011–2026. Black line = July 4; blue dashed line = date of 50% cumulative C+E.




Ugashik District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)




Egegik District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)



Kvichak District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)



Nushagak District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)





Bristol Bay Salmon Fishery

Age Composition Summary - Sockeye Salmon

Date run: 6/29/2026

Note: Totals are weighted by number of samples

				Samples	Index	Age					
		Period Start	Period End			12	22	13	23	14	
Egegik District	<i>Egegik District Harvest</i>	6/20/2026	6/23/2026	215	96,275	28.84%	14.42%	42.79%	13.95%		
		6/24/2026	6/27/2026	1,039	1,241,707	34.74%	14.34%	23.48%	27.33%		
	<i>Egegik District Harvest Total</i>						33.73%	14.35%	26.79%	25.04%	
Naknek-Kvichak District	<i>Naknek-Kvichak District Harvest - Drift</i>	6/26/2026	6/26/2026	207	98,186	28.99%	11.59%	48.31%	9.66%	1.45%	
	<i>Naknek-Kvichak District Harvest - Drift Total</i>						28.99%	11.59%	48.31%	9.66%	1.45%
Nushagak District	<i>Nushagak River Escapement</i>	6/7/2026	6/14/2026	15	6,583	66.67%		33.33%			
		6/15/2026	6/21/2026	304	149,332	17.43%	1.64%	76.64%	3.95%	0.33%	
	<i>Nushagak River Escapement Total</i>						19.75%	1.57%	74.61%	3.76%	0.31%
	<i>Wood River Escapement</i>	6/20/2026	6/21/2026	24	19,494	33.33%	8.33%	58.33%			
<i>Wood River Escapement Total</i>						33.33%	8.33%	58.33%			
Port Moller	<i>Port Moller Test Fishery</i>	6/11/2026	6/11/2026	2	0			100.00%			
		6/12/2026	6/12/2026	34	7	38.24%	20.59%	38.24%	2.94%		
		6/13/2026	6/13/2026	21	4	38.10%	14.29%	47.62%			
		6/14/2026	6/14/2026	29	5	20.69%	17.24%	58.62%	3.45%		
		6/15/2026	6/15/2026	65	13	24.62%	12.31%	58.46%	4.62%		
		6/16/2026	6/16/2026	138	37	19.57%	7.25%	65.94%	6.52%		
		6/17/2026	6/17/2026	47	9	19.15%	12.77%	63.83%	4.26%		
		6/18/2026	6/18/2026	304	80	27.30%	9.21%	54.28%	8.88%	0.33%	
		6/19/2026	6/19/2026	291	66	34.02%	11.68%	47.42%	6.87%		
		6/20/2026	6/20/2026	146	26	31.51%	11.64%	46.58%	8.22%	1.37%	
		6/21/2026	6/21/2026	190	53	28.95%	7.37%	53.68%	9.47%		
		6/22/2026	6/22/2026	214	72	35.51%	11.21%	42.52%	9.35%	1.40%	
		6/23/2026	6/23/2026	255	70	24.71%	9.02%	55.29%	9.41%	0.78%	
		6/24/2026	6/24/2026	291	78	29.21%	6.87%	53.95%	8.93%	1.03%	
6/25/2026	6/25/2026	278	65	25.18%	8.27%	51.80%	14.39%	0.36%			
6/26/2026	6/26/2026	5	48			100.00%					
<i>Port Moller Test Fishery Total</i>						28.40%	9.61%	52.47%	8.79%	0.52%	
Ugashik District	<i>Ugashik District Harvest</i>	6/22/2026	6/24/2026	764	507,059	39.66%	14.66%	28.27%	17.02%	0.39%	
		6/25/2026	6/26/2026	195	242,214	54.87%	6.15%	24.10%	14.87%		
	<i>Ugashik District Harvest Total</i>						42.75%	12.93%	27.42%	16.58%	0.31%
Sockeye Salmon Total						31.93%	10.98%	42.64%	13.96%	0.37%	

Age Comp Forecast

Sockeye 2026

Sampling Group Name	Forecast Percent			
	12	22	13	23
Alagnak River Escapement	48.0%	7.0%	41.0%	3.0%
Egegik District Harvest	29.0%	31.0%	12.0%	28.0%
Egegik River Escapement	29.0%	31.0%	12.0%	28.0%
Igushik River Escapement	45.0%	2.0%	53.0%	1.0%
Kvichak River Escapement	37.0%	23.0%	32.0%	9.0%
Kvichak Section Harvest - Set	37.0%	23.0%	32.0%	9.0%
Naknek River Escapement	28.0%	11.0%	52.0%	9.0%
Naknek Section Harvest - Set	28.0%	11.0%	52.0%	9.0%
Naknek-Kvichak District Harvest - Drift	37.0%	14.0%	42.0%	7.0%
Nushagak District Drift	35.0%	2.0%	42.0%	1.0%
Nushagak River Escapement	22.0%	1.0%	74.0%	1.0%
Nushagak Section Harvest - Set	22.0%	1.0%	74.0%	1.0%
Port Moller Test Fishery	35.0%	12.0%	44.0%	8.0%
Togiak District Harvest - Mixed	26.0%	2.0%	72.0%	2.0%
Togiak River Escapement	26.0%	2.0%	72.0%	2.0%
Ugashik District Harvest	45.0%	9.0%	41.0%	5.0%
Ugashik River Escapement	45.0%	9.0%	41.0%	5.0%
Wood River Escapement	54.0%	4.0%	41.0%	1.0%
Wood River SHA Harvest	54.0%	4.0%	41.0%	1.0%