

PMTF Catch Update #26, July 5, 2026

https://www.bbsri.org/?mc_cid=bdc476f799&mc_eid=UNIQID

** Port Moller Test Fish Catch Update

** Catch Update #26, July 5, 2026

1-PMTF Catch Update Table (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/3062a7d9-a113-cabb-9324-54876904d1ef/PMTF_Catch_Update_Table.55.pdf?mc_cid=bdc476f799&mc_eid=UNIQID)
2-PMTF Raw Data (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/0af49dd0-b3d5-94a7-b831-2f8913735c61/PMTF_Raw_Data.58.pdf?mc_cid=bdc476f799&mc_eid=UNIQID)
3-C+E by District and Day for 2011-2026 (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/7b8a4f64-b925-ea29-3e3f-28139373a978/HistoricalCEandPMTF.25.pdf?mc_cid=bdc476f799&mc_eid=UNIQID)

Good evening,

Looks like we're starting to reach the tail end of our season at Port Moller. Signals from the test fishery, combined with observed C+E to date, still appear on track for hitting the preseas on forecast.

PMTF Stock Composition Status: The stock composition for July 4-5 should be released July 6-7.

Index by Station

S2: 0

S4: 6

S6: 12

S8: 102

S10: 130

S12: 0

S14: 0

S16: 0

S18: 0

S20: 0

S22: 4

S24: 2

Daily Catch Index = 21

Jordan (<mailto:jordan@bbsri.org?subject=PMTF%20Daily%20Update%20Reply&body=Hi%20Jordan%2C>) and Scott (<mailto:raborne@lgl.com?subject=PMTF%20Catch%20Update%20Reply&body=Hello%20Scott%2C%0A>)

PMTF Website Project Page (Click Here (https://www.bbsri.org/pmtf?mc_cid=bdc476f799&mc_eid=UNIQID))

BBSRI Inseason Data Page (Click Here (https://www.bbsri.org/inseason-data?mc_cid=bdc476f799&mc_eid=UNIQID))

BBSRI . 8427 Laviento Dr Ste 101 . Anchorage, AK 99515-1951 . USA

Port Moller Test Fishery: Catch Update #26 5 July 2026.

All updates sent by email are also posted online at www.bbsri.org

Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations (Stns 2-24)		Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24	4½" mesh	5½" mesh	4½" mesh	5½" mesh		
10-Jun	0	0	0	2	37	2	0	0	0	0	0	0	3	6	16	454	459	
11-Jun	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	-	544	
12-Jun	0	0	0	12	72	4	0	0	0	0	0	0	7	22	23	498	519	
13-Jun	0	0	0	4	38	6	0	1	0	0	0	0	4	12	12	494	540	
14-Jun	0	2	2	2	39	14	4	0	0	0	0	2	5	13	27	497	535	
15-Jun	0	0	2	0	60	70	2	10	12	0	0	0	13	61	16	494	526	
16-Jun	2	0	12	19	93	310	4	0	0	2	0	2	37	133	88	515	543	
17-Jun	0	2	7	13	29	58	0	2	0	0	0	0	9	43	9	516	523	
18-Jun	0	2	283	333	188	142	0	2	0	2	4	2	80	291	175	511	527	
19-Jun	2	15	93	199	168	317	0	0	0	0	0	0	66	197	201	505	533	
20-Jun	4	0	83	92	26	99	2	0	0	2	2	0	26	82	73	496	527	
21-Jun	3	0	29	56	109	424	0	0	8	0	5	0	53	160	160	517	531	
22-Jun	15	22	60	54	163	534	9	0	0	6	0	2	72	226	170	511	533	
23-Jun	4	0	151	0	358	286	4	9	0	14	12	2	70	204	206	518	528	
24-Jun	3	64	60	238	186	336	10	10	2	0	19	5	78	277	171	516	535	
25-Jun	16	41	151	149	275	103	4	15	2	0	5	5	64	182	179	516	535	
26-Jun	9	143	114	126	132	35	0	2	0	4	2	7	48	116	162	512	529	
27-Jun	2	178	64	170	386	178	3	0	6	5	0	0	83	272	206	519	538	
28-Jun	0	90	109	154	23	28	9	2	0	2	2	2	35	131	109	510	528	
29-Jun	26	87	158	135	51	15	0	4	2	0	4	3	40	104	99	514	527	
30-Jun	17	83	139	182	244	14	0	2	0	17	2	4	59	178	162	507	528	
1-Jul	10	192	278	277	50	6	3	6	2	5	2	2	69	232	179	510	521	
2-Jul	17	34	41	115	9	4	0	4	0	0	2	2	19	70	48	492	530	
3-Jul	12	45	132	42	2	2	0	0	2	4	2	1	20	32	64	510	529	
4-Jul	9	11	333	28	26	21	13	7	4	0	0	0	38	119	108	517	505	
5-Jul	0	6	12	102	130	0	0	0	0	0	4	2	21	40	90	475	505	
6-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
7-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
8-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
9-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
10-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
11-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
12-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
13-Jul	-	-	-	-	-	-	-	-	-	-	-	-						
Mean Stn Index	6	39	89	96	111	116	2	3	2	2	3	2	Total =	3203 (54%)	2755 (46%)	511	528	

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Month	Day	Station	Net Length (fathoms)	SST at solar noon (°C)	Temp at 11 m deep (°C)	Sea state (ft)	Secchi depth (ft)	Wind (knots)	Tide	MFT (minutes)	4½ Catch	5% Catch	Catch index	4½ MEFL (mm)	5% MEFL (mm)	Total raw catch by date
6	10	10	140	NA	3.0	1.7	15.0	NW7	F	34	6	15	37	454	456	21
6	10	12	141	NA	4.0	1.8	18.0	NW8	F	31	0	1	2	0	498	1
6	10	14	142	NA	3.7	2.2	24.0	W9.5	E	30	0	0	0	0	0	0
6	10	16	143	NA	1.3	2.0	27.0	W10	F	28	0	0	0	0	0	0
6	11	2	144	NA	NA	1.0	18.0	SW5	HS	37	0	0	0	0	0	0
6	11	4	145	NA	NA	1.0	18.0	SW3	E	28	0	0	0	0	0	0
6	11	6	146	NA	NA	0.3	6.0	SW3	LS	30	0	0	0	0	0	0
6	11	8	147	NA	NA	1.0	15.0	SW2	LS	29	0	0	0	0	0	0
6	11	10	148	NA	4.4	1.0	15.0	SW1	E	29	0	2	4	0	544	2
6	11	12	149	NA	2.1	2.0	21.0	NW2	F	29	0	0	0	0	0	0
6	11	14	150	NA	1.8	1.0	27.0	NW5	E	29	0	0	0	0	0	0
6	11	16	151	NA	NA	1.0	27.0	NW5	E	34	0	0	0	0	0	0
6	11	18	152	NA	2.8	2.0	NA	NW8	E	31	0	0	0	0	0	0
6	11	20	153	NA	3.4	2.0	24.0	NW8	E	30	0	0	0	0	0	0
6	11	22	154	NA	3.1	2.2	24.0	NW10	F	31	0	0	0	0	0	0
6	11	24	155	NA	NA	2.0	24.0	NW10	E	29	0	0	0	0	0	0
6	12	6	156	NA	2.9	2.5	18.0	NE15	E	31	0	0	0	0	0	0
6	12	8	157	NA	3.9	2.0	18.0	NE12	E	30	4	2	12	460	480	6
6	12	10	158	4.8	3.2	1.5	24.0	NE9	E	31	17	20	72	509	522	37
6	12	12	159	4.5	3.1	1.5	21.0	NE5	LS	31	1	1	4	454	532	2
6	12	14	160	4.2	1.9	1.0	18.0	SW2	HS	31	0	0	0	0	0	0
6	12	16	161	4.3	4.6	2.0	24.0	E3	E	32	0	0	0	0	0	0
6	12	18	162	4.3	2.8	3.0	27.0	NE6	E	34	0	0	0	0	0	0
6	12	20	163	4.6	NA	2.0	27.0	NE5	E	33	0	0	0	0	0	0
6	12	22	164	5.5	4.7	1.0	33.0	NE4	E	31	0	0	0	0	0	0
6	12	24	165	4.2	2.6	2.0	27.0	NW6	E	31	0	0	0	0	0	0
6	13	2	166	NA	4.1	5.0	12.0	NE20	F	29	0	0	0	0	0	0
6	13	4	167	4.3	2.7	5.0	15.0	NE17	E	31	0	0	0	0	0	0
6	13	6	168	5.1	4.9	5.0	24.0	NE17	E	32	0	0	0	0	0	0
6	13	8	169	5.2	4.7	5.0	18.0	NE20	E	29	1	1	4	435	575	2
6	13	10	170	5.1	3.8	6.0	15.0	NE25	LS	30	8	11	38	490	537	19
6	13	12	171	5.1	3.9	5.0	18.0	NE15	F	30	3	0	6	526	0	3
6	13	14	172	4.6	4.4	4.0	21.0	NE12	F	31	0	0	0	0	0	0
6	13	18	173	5.1	4.7	4.0	24.0	NE11	E	31	0	0	0	0	0	0
6	13	20	174	4.6	4.3	4.0	27.0	NE12	E	33	0	0	0	0	0	0
6	13	22	175	5.9	NA	4.0	21.0	NE11	E	36	0	0	0	0	0	0
6	13	24	176	4.9	2.6	NA	NA	NE9	HS	35	0	0	0	0	0	0
6	14	2	177	NA	4.9	1.0	15.0	NE4	F	30	0	0	0	0	0	0
6	14	4	178	4.1	4.2	1.0	21.0	NE2	F	32	1	0	2	459	0	1
6	14	6	179	4.8	4.8	1.0	21.0	NE3	E	34	0	1	2	0	476	1
6	14	8	180	5.0	4.9	2.0	18.0	E7	E	32	1	0	2	420	0	1
6	14	10	181	5.0	4.8	3.0	24.0	NE7	E	40	10	16	39	506	536	26
6	14	12	182	5.0	4.4	2.0	21.0	NE5	F	34	0	8	14	0	547	8
6	14	14	183	4.4	1.6	3.0	30.0	NE8	E	31	0	2	4	0	512	2
6	14	16	184	5.0	1.8	3.0	21.0	N10	E	29	0	0	0	0	0	0
6	14	18	185	5.0	2.5	3.0	30.0	N10	E	29	0	0	0	0	0	0
6	14	20	186	4.9	1.4	2.0	24.0	N6	E	29	0	0	0	0	0	0
6	14	22	187	5.9	2.5	2.0	27.0	N5	E	31	0	0	0	0	0	0
6	14	24	188	5.2	2.5	1.0	24.0	N5	E	30	1	0	2	528	0	1
6	15	2	189	NA	2.7	1.0	15.0	NE4	F	34	0	0	0	0	0	0
6	15	4	190	4.4	4.2	2.0	15.0	W4	HS	31	0	0	0	0	0	0
6	15	6	191	5.1	3.6	2.0	18.0	SW5	E	37	1	0	2	506	0	1
6	15	8	192	5.4	5.4	1.0	21.0	NW3	E	29	0	0	0	0	0	0
6	15	10	193	5.2	5.0	1.0	27.0	NW3	E	29	20	9	60	490	520	29
6	15	12	194	5.2	2.7	0.5	24.0	NW1	F	30	33	2	70	489	518	35
6	15	14	195	4.7	2.4	2.0	27.0	SE7	E	29	1	0	2	519	0	1
6	15	16	196	5.2	1.9	2.0	33.0	E9	E	31	0	5	10	0	539	5
6	15	18	197	5.2	1.5	2.0	24.0	SE9	E	31	6	0	12	527	0	6
6	15	20	198	5.2	2.5	2.0	27.0	SE8	E	30	0	0	0	0	0	0
6	15	22	199	5.2	2.9	1.5	27.0	E9	F	28	0	0	0	0	0	0
6	15	24	200	5.8	2.3	0.5	24.0	E5	F	30	0	0	0	0	0	0


6	16	2	200	NA	NA	1.0	21.0	SW4	E	29	1	0	2	537	0	1
6	16	4	200	5.1	4.4	1.0	24.0	NW5	F	31	0	0	0	0	0	0
6	16	6	200	5.8	4.4	2.0	24.0	NW6	F	30	6	0	12	480	0	6
6	16	8	200	5.8	4.4	2.0	24.0	NW5	E	28	2	7	19	465	554	9
6	16	10	200	5.8	4.4	1.0	30.0	NW4	E	33	45	6	93	513	518	51
6	16	12	200	5.4	1.6	2.0	30.0	W5	F	29	75	75	310	521	544	150
6	16	14	200	5.2	1.8	1.0	33.0	W5	F	32	2	0	4	518	0	2
6	16	16	200	5.5	2.1	2.0	39.0	W5	E	32	0	0	0	0	0	0
6	16	18	200	5.5	1.2	2.0	30.0	W5	E	31	0	0	0	0	0	0
6	16	20	200	5.5	3.8	2.0	27.0	W5	E	29	1	0	2	440	0	1
6	16	22	200	5.3	2.4	2.0	27.0	W5	E	28	0	0	0	0	0	0
6	16	24	200	6.2	NA	2.0	21.0	W5	E	28	1	0	2	544	0	1
6	17	2	200	NA	4.4	1.0	21.0	SW4	F	32	0	0	0	0	0	0
6	17	4	200	5.4	NA	0.5	24.0	SW2	F	32	1	0	2	467	0	1
6	17	6	200	5.8	4.9	1.0	30.0	SW3	F	26	3	0	7	520	0	3
6	17	8	200	6.0	NA	1.0	24.0	SW2	E	28	6	0	13	502	0	6
6	17	10	200	5.9	5.5	1.0	27.0	W2	E	25	12	0	29	523	0	12
6	17	12	200	5.8	2.5	0.5	24.0	W2	E	30	20	9	58	525	523	29
6	17	14	200	5.4	NA	1.0	36.0	W3	E	30	0	0	0	0	0	0
6	17	16	200	6.1	2.1	1.0	33.0	W5	E	33	1	0	2	384	0	1
6	17	18	200	6.0	1.3	1.0	39.0	W5	E	29	0	0	0	0	0	0
6	17	20	200	5.7	1.8	1.5	33.0	W5	E	30	0	0	0	0	0	0
6	17	22	200	6.2	3.0	1.0	30.0	W5	F	28	0	0	0	0	0	0
6	17	24	200	6.5	2.7	1.5	30.0	W8	F	32	0	0	0	0	0	0
6	18	2	200	NA	3.2	1.0	27.0	N4	E	30	0	0	0	0	0	0
6	18	4	200	6.1	2.6	1.0	21.0	W4	E	28	1	0	2	527	0	1
6	18	6	200	6.2	2.4	1.0	39.0	W4	E	29	91	46	283	499	515	137
6	18	8	200	6.4	1.8	1.0	NA	W4	F	29	119	42	333	509	536	161
6	18	10	200	6.1	4.5	2.0	33.0	W5	F	29	36	55	188	530	533	91
6	18	12	200	6.2	2.6	1.0	30.0	W5	E	30	43	28	142	525	520	71
6	18	14	200	5.7	2.1	1.0	21.0	NW6	E	32	0	0	0	0	0	0
6	18	16	200	6.4	2.0	2.0	24.0	NW6	E	31	0	1	2	0	531	1
6	18	18	200	6.2	6.3	2.0	24.0	NW3	F	28	0	0	0	0	0	0
6	18	20	200	6.1	2.6	1.0	24.0	NW3	E	31	1	0	2	489	0	1
6	18	22	200	7.0	5.0	2.0	21.0	NW5	E	30	0	2	4	0	546	2
6	18	24	200	6.6	3.0	1.0	18.0	W5	E	33	0	1	2	0	548	1
6	19	2	200	NA	2.9	1.0	30.0	NE5	E	29	1	0	2	454	0	1
6	19	4	200	6.3	2.4	0.0	30.0	0	F	31	8	0	15	503	0	8
6	19	6	200	6.4	4.9	0.5	39.0	N5	F	29	30	15	93	493	536	45
6	19	8	200	6.7	2.9	1.0	39.0	N5	F	29	44	52	199	500	520	96
6	19	10	200	6.5	3.6	1.0	42.0	N5	E	30	56	28	168	499	524	84
6	19	12	200	7.0	5.1	1.0	39.0	N5	E	31	58	106	317	522	542	164
6	19	14	200	5.8	2.1	0.5	33.0	NW3	E	26	0	0	0	0	0	0
6	19	16	200	6.7	2.1	0.5	30.0	NW2	E	26	0	0	0	0	0	0
6	19	18	200	6.5	1.6	1.0	33.0	NW2	F	28	0	0	0	0	0	0
6	19	20	200	6.4	NA	2.0	24.0	NW3	F	30	0	0	0	0	0	0
6	19	22	200	7.2	NA	2.0	24.0	NW4	F	31	0	0	0	0	0	0
6	19	24	200	7.0	2.9	3.0	18.0	NW8	LS	31	0	0	0	0	0	0
6	20	2	200	NA	3.2	3.0	15.0	NE8	F	28	1	1	4	528	535	2
6	20	4	200	6.1	2.4	3.0	15.0	NE7	E	29	0	0	0	0	0	0
6	20	6	200	6.7	4.5	1.0	21.0	NE5	F	31	26	17	83	473	515	43
6	20	8	200	6.9	3.2	1.0	24.0	NW4	F	32	18	31	92	492	525	49
6	20	10	200	6.8	5.7	0.5	33.0	NW2	LS	28	12	0	26	504	0	12
6	20	12	200	7.3	2.6	0.5	33.0	NW3	E	28	24	22	99	516	536	46
6	20	14	200	6.7	2.1	1.0	36.0	N3	E	29	0	1	2	0	535	1
6	20	16	200	7.1	2.0	1.0	30.0	N3	F	30	0	0	0	0	0	0
6	20	18	200	7.1	1.5	0.0	39.0	0	F	30	0	0	0	0	0	0
6	20	20	200	6.5	1.7	0.0	36.0	0	F	30	1	0	2	538	0	1
6	20	22	200	7.4	3.3	0.0	30.0	0	E	30	0	1	2	0	568	1
6	20	24	200	6.3	3.0	0.0	27.0	0	E	30	0	0	0	0	0	0
6	21	2	200	NA	2.9	2.0	18.0	NE7	E	91	1	4	3	526	517	5
6	21	4	200	6.2	2.4	1.0	18.0	NE4	F	29	0	0	0	0	0	0
6	21	6	200	6.8	6.1	1.0	18.0	NE3	F	29	1	13	29	517	514	14
6	21	8	200	6.9	2.1	1.0	18.0	NE6	F	31	17	12	56	493	527	29

6	21	10	200	6.7	6.1	1.0	18.0	NE4	E	33	33	27	109	502	517	60
6	21	12	200	7.2	5.2	1.0	36.0	W7	E	29	106	99	424	525	537	205
6	21	14	200	6.9	2.1	1.0	33.0	W7	E	29	0	0	0	0	0	0
6	21	16	200	7.2	2.0	1.0	33.0	W5	E	28	0	0	0	0	0	0
6	21	18	200	7.3	1.5	1.0	39.0	W5	E	29	0	4	8	0	538	4
6	21	20	200	6.9	NA	1.0	36.0	N5	F	31	0	0	0	0	0	0
6	21	22	200	7.5	3.3	1.0	30.0	N5	F	33	2	1	5	547	555	3
6	21	24	200	7.3	3.0	1.0	30.0	N5	F	30	0	0	0	0	0	0
6	22	2	200	NA	NA	1.0	NA	W3	F	24	6	0	15	509	0	6
6	22	6	200	6.7	2.8	1.0	NA	W3	F	30	28	2	60	491	476	30
6	22	8	200	7.1	2.0	1.0	30.0	W5	F	30	22	5	54	502	534	27
6	22	10	200	6.9	5.6	1.0	36.0	W5	E	28	38	38	163	517	517	76
6	22	12	200	7.8	1.7	1.0	30.0	E5	E	28	124	125	534	514	539	249
6	22	14	200	7.5	2.3	0.5	27.0	NE2	E	28	4	0	9	528	0	4
6	22	16	200	7.7	2.0	0.5	27.0	NE3	F	32	0	0	0	0	0	0
6	22	18	200	8.1	1.5	0.5	30.0	NE2	F	32	0	0	0	0	0	0
6	22	20	200	7.7	2.3	0.5	30.0	NE2	HS	28	3	0	6	534	0	3
6	22	22	200	8.5	4.5	0.5	30.0	NE1	E	28	0	0	0	0	0	0
6	22	24	200	8.1	3.6	0.5	18.0	NE1	E	26	1	0	2	496	0	1
6	23	2	200	NA	2.9	0.5	NA	N3	HS	30	1	1	4	475	482	2
6	23	4	200	8.8	2.5	0.5	NA	N3	E	28	0	0	0	0	0	0
6	23	6	200	8.2	5.7	0.5	39.0	N3	E	31	53	25	151	495	509	78
6	23	8	200	9.2	3.4	0.5	42.0	N3	F	29	0	0	0	0	0	0
6	23	10	200	9.1	1.8	0.5	36.0	N3	F	28	81	86	358	528	535	167
6	23	12	200	9.6	2.0	0.5	36.0	N3	F	30	52	91	286	524	527	143
6	23	14	200	9.3	2.1	0.5	24.0	N1	E	28	2	0	4	488	0	2
6	23	16	200	9.5	2.2	0.5	27.0	N2	E	28	1	3	9	479	551	4
6	23	18	200	9.5	1.5	1.0	27.0	N2	F	29	0	0	0	0	0	0
6	23	20	200	8.9	1.8	0.5	30.0	N1	F	30	7	0	14	549	0	7
6	23	22	200	9.4	3.7	0.5	24.0	N3	LS	31	6	0	12	534	0	6
6	23	24	200	NA	2.9	0.5	21.0	N2	E	26	1	0	2	435	0	1
6	24	2	200	NA	2.8	1.0	0.0	E7	F	18	0	1	3	0	541	1
6	24	4	200	9.2	2.5	1.0	24.0	E7	F	29	17	14	64	510	532	31
6	24	6	200	8.0	3.5	1.0	36.0	SE8	E	28	19	9	60	516	530	28
6	24	8	200	8.2	2.3	2.0	33.0	SE10	E	29	73	42	238	505	529	115
6	24	10	200	8.0	5.8	1.5	36.0	E8	E	31	48	48	186	524	532	96
6	24	12	200	8.8	1.6	1.0	39.0	E10	F	28	107	50	336	523	544	157
6	24	14	200	8.7	2.4	3.0	21.0	E7	E	31	3	2	10	467	557	5
6	24	16	200	9.6	2.1	3.0	24.0	E7	E	30	4	1	10	511	580	5
6	24	18	200	9.3	1.8	3.0	30.0	E8	LS	27	0	1	2	0	525	1
6	24	20	200	9.2	2.0	2.0	24.0	E6	LS	29	0	0	0	0	0	0
6	24	22	200	9.6	NA	1.0	24.0	SE4	E	29	6	3	19	505	539	9
6	25	4	200	8.3	2.6	1.0	24.0	S5	E	28	11	8	41	493	518	19
6	25	6	200	8.5	5.2	1.0	30.0	S5	E	29	52	21	151	509	531	73
6	25	8	200	8.5	2.3	1.0	33.0	S5	F	29	32	40	149	525	530	72
6	25	10	200	7.4	2.9	0.5	30.0	S5	F	29	51	82	275	528	539	133
6	25	12	200	8.4	1.6	0.5	33.0	SE2	E	31	27	26	103	502	540	53
6	25	14	200	5.9	2.5	2.0	24.0	SE2	E	31	1	1	4	499	565	2
6	25	16	200	7.5	2.2	2.0	24.0	SE4	E	31	8	0	15	528	0	8
6	25	18	200	8.7	NA	3.0	27.0	SE5	E	28	0	1	2	0	521	1
6	25	20	200	8.7	NA	1.0	30.0	SE5	E	28	0	0	0	0	0	0
6	26	2	200	NA	3.6	0.5	24.0	W4	F	27	3	1	9	523	540	4
6	26	4	200	8.8	N/A	1.0	27.0	W8	E	29	21	48	143	525	527	69
6	26	6	200	8.4	3.6	1.0	27.0	W8	E	29	40	15	114	509	539	55
6	26	8	200	8.9	4.6	1.0	30.0	W5	E	30	29	34	126	509	515	63
6	26	10	200	8.1	6.2	1.0	30.0	W5	E	29	10	54	132	503	537	64
6	26	12	200	8.4	1.7	1.0	27.0	W5	F	29	13	4	35	509	530	17
6	26	14	200	6.7	5.5	1.0	21.0	W5	E	29	0	0	0	0	0	0
6	26	16	200	8.6	7.2	3.0	24.0	W7	E	28	0	1	2	0	531	1
6	26	18	200	8.8	1.8	4.0	27.0	W10	E	25	0	0	0	0	0	0
6	26	20	200	9.0	2.0	3.0	24.0	W5	E	28	0	2	4	0	542	2
6	26	22	200	8.8	2.8	4.0	24.0	W8	E	33	0	1	2	0	514	1
6	26	24	200	NA	3.3	2.0	N/A	W5	E	17	0	2	7	0	511	2
6	27	2	200	NA	2.9	2.0	27.0	S5	F	28	0	1	2	0	546	1


6	27	4	200	9.1	2.7	2.0	24.0	S5	E	31	60	32	178	514	531	92
6	27	6	200	9.1	3.7	3.0	24.0	S8	E	28	13	17	64	501	553	30
6	27	8	200	9.0	5.7	3.0	24.0	S8	E	29	53	29	170	513	526	82
6	27	10	200	8.6	2.9	3.0	27.0	S8	E	28	109	71	386	528	542	180
6	27	12	200	8.1	1.6	3.0	27.0	S8	F	29	34	52	178	515	540	86
6	27	14	200	6.9	1.9	4.0	24.0	SW4	E	24	1	0	3	444	0	1
6	27	16	200	8.9	2.3	2.0	21.0	SW5	E	28	0	0	0	0	0	0
6	27	18	200	9.1	1.9	2.0	27.0	SW5	E	30	0	3	6	0	500	3
6	27	20	200	8.1	1.8	3.0	27.0	S4	E	33	2	1	5	506	498	3
6	27	22	200	9.0	4.1	4.0	24.0	SW6	E	28	0	0	0	0	0	0
6	27	24	200	NA	3.3	3.0	18.0	SW7	E	29	0	0	0	0	0	0
6	28	2	200	NA	3.9	6.0	18.0	SW15	E	30	0	0	0	0	0	0
6	28	4	200	8.9	2.5	4.0	18.0	SW9	E	34	42	9	90	512	533	51
6	28	6	200	8.7	6.3	4.0	24.0	SW12	E	37	32	35	109	508	528	67
6	28	8	200	8.2	6.1	6.0	21.0	SW15	F	35	45	45	154	512	525	90
6	28	10	200	8.5	7.0	5.0	18.0	SW16	HS	29	3	8	23	504	509	11
6	28	12	200	8.6	1.8	5.0	18.0	SW15	F	28	5	8	28	493	540	13
6	28	14	200	7.1	2.5	4.0	18.0	SW18	E	28	2	2	9	476	582	4
6	28	16	200	7.5	2.2	4.0	21.0	SW15	E	29	1	0	2	530	0	1
6	28	18	200	9.0	1.8	4.0	18.0	SW15	E	30	0	0	0	0	0	0
6	28	20	200	8.0	1.9	5.0	18.0	SW17	E	32	1	0	2	525	0	1
6	28	22	200	8.4	2.6	5.0	18.0	SW18	E	28	0	1	0	0	534	1
6	28	24	200	NA	3.6	5.0	18.0	SW18	E	30	0	1	2	0	555	1
6	29	6	200	8.3	0.0	5.0	18.0	SW14	E	40	40	65	158	512	527	105
6	29	8	200	8.0	7.9	5.0	21.0	SW10	E	28	48	15	135	515	536	63
6	29	10	200	7.8	4.7	4.0	18.0	SW11	LS	27	6	17	51	471	515	23
6	29	12	200	6.1	1.8	4.0	21.0	SW12	F	28	7	0	15	545	0	7
6	29	14	200	5.8	5.5	5.0	18.0	SW15	E	31	0	0	0	0	0	0
6	29	16	200	6.9	2.8	5.0	21.0	SW16	E	29	1	1	4	550	577	2
6	29	18	200	8.7	1.9	6.0	18.0	SW18	E	29	1	0	2	534	0	1
6	29	20	200	6.9	1.9	6.0	18.0	SW18	E	28	0	0	0	0	0	0
6	29	22	200	7.2	2.8	6.0	15.0	SW22	F	31	1	1	4	540	525	2
6	30	2	200	NA	3.2	1.0	27.0	SE5	E	28	1	7	17	499	514	8
6	30	4	200	8.3	2.7	1.0	33.0	SE5	F	29	15	25	83	511	524	40
6	30	6	200	8.0	3.0	2.0	30.0	SE7	E	29	53	14	139	498	521	67
6	30	8	200	8.1	7.3	3.0	30.0	E15	E	29	51	37	182	514	528	88
6	30	10	200	7.2	8.4	3.0	27.0	E15	E	29	56	62	244	509	532	118
6	30	12	200	5.4	1.4	2.0	18.0	E12	F	30	1	6	14	529	525	7
6	30	14	200	6.3	2.4	2.0	18.0	E6	F	31	0	0	0	0	0	0
6	30	16	200	7.9	8.2	3.0	24.0	E6	HS	29	0	1	2	0	559	1
6	30	18	200	6.9	2.4	2.0	21.0	E7	E	29	0	0	0	0	0	0
6	30	20	200	5.9	2.8	2.0	24.0	E7	E	29	0	8	17	0	522	8
6	30	22	200	6.6	3.2	2.0	24.0	E9	E	28	1	0	2	529	0	1
6	30	24	200	7.0	3.6	2.0	18.0	E8	E	27	0	2	4	0	533	2
7	1	2	200	NA	3.2	2.0	30.0	W12	E	29	2	3	10	502	515	5
7	1	4	200	8.5	4.8	3.0	24.0	W15	F	30	54	42	192	510	519	96
7	1	6	200	8.4	6.4	4.0	21.0	SW16	E	30	81	58	278	515	521	139
7	1	8	200	8.4	7.9	4.0	27.0	SW16	E	29	79	55	277	505	517	134
7	1	10	200	8.4	3.2	4.0	27.0	SW16	E	30	8	17	50	498	537	25
7	1	12	200	6.5	2.0	3.5	30.0	SW12	E	28	3	0	6	532	0	3
7	1	14	200	NA	1.8	4.0	24.0	SW7	E	24	1	0	3	549	0	1
7	1	16	200	8.1	6.7	4.0	21.0	SW10	E	31	1	2	6	515	554	3
7	1	18	200	7.4	2.4	3.0	27.0	SW9	E	27	1	0	2	552	0	1
7	1	20	200	6.5	3.2	2.0	24.0	SW8	E	25	0	2	5	0	518	2
7	1	22	200	7.0	6.5	2.0	21.0	SW8	LS	27	1	0	2	466	0	1
7	1	24	200	7.1	6.8	2.0	21.0	SE5	F	33	1	0	2	507	0	1
7	2	2	200	NA	3.2	2.0	24.0	SW10	E	28	4	4	17	468	510	8
7	2	4	200	8.6	8.7	3.0	24.0	SW9	E	28	7	9	34	487	524	16
7	2	6	200	8.3	6.5	3.0	24.0	SW9	E	28	16	3	41	509	543	19
7	2	8	200	8.3	8.3	3.0	30.0	SW5	F	35	41	26	115	490	532	67
7	2	10	200	8.0	6.2	2.0	27.0	SW5	F	27	1	3	9	510	515	4
7	2	12	200	6.7	2.5	2.0	15.0	SW7	HS	28	0	2	4	0	564	2
7	2	14	200	8.6	1.7	3.0	30.0	NW8	E	29	0	0	0	0	0	0
7	2	16	200	8.3	2.8	3.0	39.0	NW8	E	29	1	1	4	447	545	2

7	2	18	200	7.4	NA	3.0	33.0	NW8	E	30	0	0	0	0	0	0
7	2	20	200	6.7	2.1	3.0	30.0	NW8	E	32	0	0	0	0	0	0
7	3	6	200	4.8	3.4	4.0	21.0	W12	F	31	27	41	132	509	531	68
7	3	8	200	5.0	7.5	6.0	18.0	W16	E	33	4	19	42	506	525	23
7	3	10	200	5.0	2.9	5.0	21.0	W16	E	28	0	1	2	0	530	1
7	3	12	200	5.0	1.8	6.0	18.0	W20	E	27	1	0	2	540	0	1
7	3	14	200	4.4	1.8	6.0	18.0	W20	E	27	0	0	0	0	0	0
7	3	16	200	5.0	2.3	6.0	21.0	W20	F	30	0	0	0	0	0	0
7	3	18	200	5.0	3.1	6.0	21.0	W20	F	29	0	1	2	0	555	1
7	3	20	200	4.9	2.2	5.0	21.0	W16	F	29	0	2	4	0	515	2
7	4	4	200	8.3	6.5	2.0	27.0	NW5	E	28	3	2	11	369	375	5
7	4	6	200	8.0	4.6	2.0	36.0	NW5	F	31	77	95	333	521	529	172
7	4	8	200	8.2	8.2	2.0	24.0	NW15	F	28	12	1	28	518	527	13
7	4	10	200	8.0	3.1	2.0	18.0	NW8	F	30	13	0	26	532	0	13
7	4	12	200	7.0	2.8	2.0	18.0	NW8	E	28	8	2	21	521	581	10
7	4	14	200	7.7	2.4	3.0	24.0	W8	F	32	2	5	13	544	34	7
7	4	16	200	7.6	4.9	3.0	27.0	W7	F	44	4	1	7	483	566	5
7	4	18	200	7.4	2.2	2.0	27.0	W6	E	31	0	2	4	0	544	2
7	4	20	200	7.4	6.1	3.0	21.0	W8	E	25	0	0	0	0	0	0
7	4	22	200	6.6	6.7	4.0	24.0	W12	LS	26	0	0	0	0	0	0
7	4	24	200	7.4	7.4	3.0	18.0	W10	F	30	0	0	0	0	0	0
7	5	2	200	NA	5.2	2.0	30.0	NW8	E	28	0	0	0	0	0	0
7	5	4	200	8.5	8.0	3.0	24.0	NW8	E	29	1	2	6	489	514	3
7	5	6	200	8.3	7.6	2.0	27.0	NW8	F	30	4	2	12	484	522	6
7	5	8	200	8.4	8.1	2.0	27.0	NW5	F	30	15	36	102	495	533	51
7	5	10	200	8.1	3.7	2.0	27.0	NW8	E	31	18	49	130	451	483	67
7	5	12	200	7.3	3.3	2.0	18.0	NW8	E	29	0	0	0	0	0	0
7	5	14	200	7.8	2.5	3.0	21.0	NW7	E	27	0	0	0	0	0	0
7	5	16	200	7.9	5.5	3.0	21.0	NW7	E	27	0	0	0	0	0	0
7	5	18	200	7.1	7.3	2.0	21.0	NW9	E	30	0	0	0	0	0	0
7	5	20	200	7.7	2.5	3.0	18.0	NW10	HS	27	0	0	0	0	0	0
7	5	22	200	8.0	4.3	3.0	18.0	NW9	F	31	1	1	4	450	513	2
7	5	24	200	7.7	6.3	3.0	21.0	NW9	F	29	1	0	2	566	0	1


PMTF Daily Index and inshore catch + escapement (C+E) for 2011-2026. Gray area curve = observed C+E for historical years scaled to the left vertical axis; red columns = observed C+E for 2026. Black lines = respective Daily PMTF Catch Indices for each historical year; the red line = a 3-day moving average of the Daily Catch Index for 2026 based on Stations 2-24 (units for the daily indices are not shown, but all graphs are scaled the same). The green line shown for the 2025 panel reflects the 2026 Daily Catch Index without a moving average. Catch Indices for years prior to 2018 represent the average catch-per-unit-effort (CPUE) across Stations 2-10. Furthermore, a shallower net (6 m deep) was used during 2011-2019; beginning in 2020 the net depth has been 11 m deep. Run timing for C+E was estimated by comparing each year's date when 50% of the run reached inshore to July 4. Blue vertical lines highlight July 4 for reference.




Seasonal sockeye C+E by district, 2011–2026. Black line = July 4; blue dashed line = date of 50% cumulative C+E.




Ugashik District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)



Egegik District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)



Kvichak District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)



Nushagak District (columns represent C+E for 2026; blue dashed lines are when 50% of C+E occurred for that year)

