PMTF Catch Update #4, June 13, 2026

https://www.bbsri.org/?mc_cid=b89052aef9&mc_eid=UNIQID

** Port Moller Test Fish Catch Update

** Catch Update #4, June 13, 2026

1-PMTF Catch Update Table (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/ac8c2d87-dfdb-bde0-99ba-8561a220c104/PMTF_Catch_Update_Table.31.pdf?mc_cid=b89052aef9&mc_eid=UNIQID)
2-PMTF Raw Data (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/d5f0100d-7276-a1b7-1a9b-cc23dd9e9b84/PMTF_Raw_Data.31.pdf?mc_cid=b89052aef9&mc_eid=UNIQID)

Good evening,

So far, the test fishery has been off to a slow start with low indices across the transect again today (see Link 1 above for the Catch Update Table).

Station 16 had to be skipped today due to a mechanical issue. The weather looks good for tomorrow.

PMTF Stock Composition Status: No change in status.

Index by Station

S2: 0

S4: 0

S6: 0

S8: 4

S10: 38

S12: 6

S14: 0

S16: Not fished

S18: 0

S20: 0

S22: 0

S24: 0

Daily Catch Index = 4

Jordan (mailto:jordan@bbsri.org?subject=PMTF%20Daily%20Update%20Reply&body=Hi%20Jordan%2C) and Scott (mailto:raborn@lgl.com?subject=PMTF%20Catch%20Update%20Reply&body=Hello%20Scott%2C%0A)

PMTF Website Project Page (Click Here (https://www.bbsri.org/pmtf?mc_cid=b89052aef9&mc_eid=UNIQID))

BBSRI Inseason Data Page (Click Here (https://www.bbsri.org/inseason-data?mc_cid=b89052aef9&mc_eid=UNIQID))

BBSRI . 8427 Laviento Dr Ste 101 . Anchorage, AK 99515-1951 . USA

Port Moller Test Fishery: Catch Update #4 13 June 2026.

All updates sent by email are also posted online at www.bbsri.org

	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations	Raw catches		Mean Length (mm)	
Date	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24	(Stns 2-24)	4½" mesh	5⅛" mesh	4½" mesh	5⅛" mesh
10-Jun	0	0	0	3	37	2	0	0	0	0	0	0	4	6	16	454	459
11-Jun	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	-	544
12-Jun	0	0	0	12	72	4	0	0	0	0	0	0	7	22	23	498	519
13-Jun	0	0	0	4	38	6	0	0	0	0	0	0	4	12	12	494	540
14-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
15-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
16-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
17-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
18-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
19-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
20-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
21-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
22-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
23-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
24-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
25-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
26-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
27-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
28-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
29-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
30-Jun	-	-	-	-	-	-	-	-	-	-	-	-					
1-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
2-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
3-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
4-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
5-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
6-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
7-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
8-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
9-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
10-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
11-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
12-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
13-Jul	-	-	-	-	-	-	-	-	-	-	-	-					
Mean Stn Index	0	0	0	5	38	3	0	0	0	0	0	0	Total =	40 (43%)	53 (57%)	490	506

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Month	Day	Station	Net Length (fathoms)	SST at solar noon (°C)	Temp at 11 m deep (°C)	Sea state (ft)	Secchi depth (ft)	Wind (knots)	Tide	MFT (minutes)	4½ Catch	5⅛ Catch	Catch index	4½ MEFL (mm)	5⅛ MEFL (mm)	Total raw catch by date
6	10	10	200	NA	3.0	1.7	15.0	NW7	F	34	6	15	37	454	456	21
6	10	12	200	NA	4.0	1.8	18.0	NW8	F	31	0	1	2	0	498	1
6	10	14	200	NA	3.7	2.2	24.0	W9.5	E	30	0	0	0	0	0	0
6	10	16	200	NA	1.3	2.0	27.0	W10	F	28	0	0	0	0	0	0
6	11	2	200	NA	0.0	1.0	18.0	SW5	HS	37	0	0	0	0	0	0
6	11	4	200	NA	NA	1.0	18.0	SW3	E	28	0	0	0	0	0	0
6	11	6	200	NA	NA	0.3	6.0	SW3	LS	30	0	0	0	0	0	0
6	11	8	200	NA	NA	1.0	15.0	SW2	LS	29	0	0	0	0	0	0
6	11	10	200	NA	4.4	1.0	15.0	SW1	E	29	0	2	4	0	544	2
6	11	12	200	NA	0.0	2.0	21.0	NW2	F	29	0	0	0	0	0	0
6	11	14	200	NA	1.8	1.0	27.0	NW5	E	29	0	0	0	0	0	0
6	11	16	200	NA	0.0	1.0	27.0	NW5	E	34	0	0	0	0	0	0
6	11	18	200	NA	2.8	2.0	0.0	NW8	E	31	0	0	0	0	0	0
6	11	20	200	NA	3.4	2.0	24.0	NW8	E	30	0	0	0	0	0	0
6	11	22	200	NA	3.1	2.2	24.0	NW10	F	31	0	0	0	0	0	0
6	11	24	200	NA	NA	2.0	24.0	NW10	E	29	0	0	0	0	0	0
6	12	6	200	NA	2.9	2.5	18.0	NE15	E	31	0	0	0	0	0	0
6	12	8	200	NA	3.9	2.0	18.0	NE12	E	30	4	2	12	460	480	6
6	12	10	200	4.8	3.2	1.5	24.0	NE9	E	31	17	20	72	509	522	37
6	12	12	200	4.5	0.0	1.5	21.0	NE5	LS	31	1	1	4	454	532	2
6	12	14	200	4.2	1.9	1.0	18.0	SW2	HS	31	0	0	0	0	0	0
6	12	16	200	4.3	4.6	2.0	24.0	E3	E	32	0	0	0	0	0	0
6	12	18	200	4.3	2.8	3.0	27.0	NE6	E	34	0	0	0	0	0	0
6	12	20	200	4.6	NA	2.0	27.0	NE5	E	33	0	0	0	0	0	0
6	12	22	200	5.5	31.0	1.0	33.0	NE4	E	5	0	0	0	0	0	0
6	12	24	200	4.2	0.0	2.0	27.0	NW6	E	31	0	0	0	0	0	0
6	13	2	200	NA	4.1	5.0	12.0	NE20	F	29	0	0	0	0	0	0
6	13	4	200	4.3	2.7	5.0	15.0	NE17	E	31	0	0	0	0	0	0
6	13	6	200	5.1	4.9	5.0	24.0	NE17	E	32	0	0	0	0	0	0
6	13	8	200	5.2	4.7	5.0	18.0	NE20	E	29	1	1	4	435	575	2
6	13	10	200	5.1	3.8	6.0	15.0	NE25	LS	30	8	11	38	490	537	19
6	13	12	200	5.1	3.9	5.0	18.0	NE15	F	30	3	0	6	526	0	3
6	13	14	200	4.6	4.4	4.0	21.0	NE12	F	31	0	0	0	0	0	0
6	13	18	200	5.1	4.7	4.0	24.0	NE11	E	31	0	0	0	0	0	0
6	13	20	200	4.6	4.3	4.0	27.0	NE12	E	33	0	0	0	0	0	0
6	13	22	200	5.9	0.0	4.0	21.0	NE11	E	36	0	0	0	0	0	0
6	13	24	200	4.9	2.6	0.0	0.0	NE9	HS	35	0	0	0	0	0	0