

PMTF Catch Update #7, June 16, 2026

https://www.bbsri.org/?mc_cid=25fc530fal&mc_eid=UNIQID

** Port Moller Test Fish Catch Update

** Catch Update #7, June 16, 2026

1-PMTF Catch Update Table (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/289cb007-b061-1316-bd6f-d744fa13fach/PMTF_Catch_Update_Table.35.pdf?mc_cid=25fc530fal&mc_eid=UNIQID)
2-PMTF Raw Data (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/0b1bd8eb-5a2f-263d-229e-38c6705de8de/PMTF_Raw_Data.34.pdf?mc_cid=25fc530fal&mc_eid=UNIQID)
3-Final Catch Update Tables 2018-2025 (https://mcusercontent.com/758ca84e9c44c25b4123ada30/files/d56d83f9-3126-c35c-67b0-f8646b02065b/FinalCatchUpdateTables_2018_2025.01.pdf?mc_cid=25fc530fal&mc_eid=UNIQID)

Good evening,

Please note: if someone has forwarded this update to you and you'd like to be added to the distribution list, just click the link at the bottom of the email.

The strongest catches remain centered on Stations 10 and 12, with a very high catch index at Station 12 driving a dramatic jump in the Daily Catch Index. We have yet to find a quantified environmental variable (e.g., sea surface temperature) that explains why catches drop so sharply beyond Station 12.

Given the preseason forecast of ~43 million, considerably lighter than any run since 2015, the magnitude of the Port Moller catch indices appears consistent with a run of this size arriving on time (see Link 3 above to compare with recent years).

PMTF Stock Composition Status: The vessels will meet tomorrow evening to transfer samples. Today's catches already provided enough samples for the first stock composition, regardless of what comes in tomorrow. Assuming a smooth transfer and clean genetics run, these results should be released on June 18 or 19.

Index by Station

S2: 2

S4: 0

S6: 12

S8: 19

S10: 93

S12: 310

S14: 4

S16: 0

S18: 0

S20: 2

S22: 0

S24: 2

Daily Catch Index = 37

Jordan (mailto:jordan@bbsri.org?subject=PMTF%20Daily%20Update%20Reply&body=Hi%20Jordan%2C) and
Scott (mailto:raborne@lgl.com?subject=PMTF%20Catch%20Update%20Reply&body=Hello%20Scott%2C%0A)

PMTF Website Project Page (Click Here (https://www.bbsri.org/pmtf?mc_cid=25fc530fa1&mc_eid=UNIQID))

BBSRI Inseason Data Page (Click Here (https://www.bbsri.org/inseason-data?mc_cid=25fc530fa1&mc_eid=UNIQID))

BBSRI . 8427 Laviento Dr Ste 101 . Anchorage, AK 99515-1951 . USA

Port Moller Test Fishery: Catch Update #7 16 June 2026.

All updates sent by email are also posted online at www.bbsri.org

Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations (Stns 2-24)	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24		4½" mesh	5½" mesh	4½" mesh	5½" mesh
	10-Jun	0	0	0	5	37	2	0	0	0	0	0	0	4	6	16	454
11-Jun	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	-	544
12-Jun	0	0	0	12	72	4	0	0	0	0	0	0	7	22	23	498	519
13-Jun	0	0	0	4	38	6	0	0	0	0	0	0	4	12	12	494	540
14-Jun	0	2	2	2	39	14	4	0	0	0	0	2	5	13	27	497	535
15-Jun	0	0	2	0	60	78	2	10	12	0	0	0	14	61	16	494	526
16-Jun	2	0	12	19	93	310	4	0	0	2	0	2	37	133	88	515	543
17-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-Jun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-Jul	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mean Stn Index	0	0	2	6	49	59	1	1	2	0	0	1	Total =	247 (57%)	184 (43%)	505	530

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Month	Day	Station	Net Length (fathoms)	SST at solar noon (°C)	Temp at 11 m deep (°C)	Sea state (ft)	Secchi depth (ft)	Wind (knots)	Tide	MFT (minutes)	4½ Catch	5½ Catch	Catch index	4½ MEFL (mm)	5½ MEFL (mm)	Total raw catch by date
6	10	10	140	NA	3.0	1.7	15.0	NW7	F	34	6	15	37	454	456	21
6	10	12	141	NA	4.0	1.8	18.0	NW8	F	31	0	1	2	0	498	1
6	10	14	142	NA	3.7	2.2	24.0	W9.5	E	30	0	0	0	0	0	0
6	10	16	143	NA	1.3	2.0	27.0	W10	F	28	0	0	0	0	0	0
6	11	2	144	NA	NA	1.0	18.0	SW5	HS	37	0	0	0	0	0	0
6	11	4	145	NA	NA	1.0	18.0	SW3	E	28	0	0	0	0	0	0
6	11	6	146	NA	NA	0.3	6.0	SW3	LS	30	0	0	0	0	0	0
6	11	8	147	NA	NA	1.0	15.0	SW2	LS	29	0	0	0	0	0	0
6	11	10	148	NA	4.4	1.0	15.0	SW1	E	29	0	2	4	0	544	2
6	11	12	149	NA	2.1	2.0	21.0	NW2	F	29	0	0	0	0	0	0
6	11	14	150	NA	1.8	1.0	27.0	NW5	E	29	0	0	0	0	0	0
6	11	16	151	NA	NA	1.0	27.0	NW5	E	34	0	0	0	0	0	0
6	11	18	152	NA	2.8	2.0	NA	NW8	E	31	0	0	0	0	0	0
6	11	20	153	NA	3.4	2.0	24.0	NW8	E	30	0	0	0	0	0	0
6	11	22	154	NA	3.1	2.2	24.0	NW10	F	31	0	0	0	0	0	0
6	11	24	155	NA	NA	2.0	24.0	NW10	E	29	0	0	0	0	0	0
6	12	6	156	NA	2.9	2.5	18.0	NE15	E	31	0	0	0	0	0	0
6	12	8	157	NA	3.9	2.0	18.0	NE12	E	30	4	2	12	460	480	6
6	12	10	158	4.8	3.2	1.5	24.0	NE9	E	31	17	20	72	509	522	37
6	12	12	159	4.5	3.1	1.5	21.0	NE5	LS	31	1	1	4	454	532	2
6	12	14	160	4.2	1.9	1.0	18.0	SW2	HS	31	0	0	0	0	0	0
6	12	16	161	4.3	4.6	2.0	24.0	E3	E	32	0	0	0	0	0	0
6	12	18	162	4.3	2.8	3.0	27.0	NE6	E	34	0	0	0	0	0	0
6	12	20	163	4.6	NA	2.0	27.0	NE5	E	33	0	0	0	0	0	0
6	12	22	164	5.5	4.7	1.0	33.0	NE4	E	31	0	0	0	0	0	0
6	12	24	165	4.2	2.6	2.0	27.0	NW6	E	31	0	0	0	0	0	0
6	13	2	166	NA	4.1	5.0	12.0	NE20	F	29	0	0	0	0	0	0
6	13	4	167	4.3	2.7	5.0	15.0	NE17	E	31	0	0	0	0	0	0
6	13	6	168	5.1	4.9	5.0	24.0	NE17	E	32	0	0	0	0	0	0
6	13	8	169	5.2	4.7	5.0	18.0	NE20	E	29	1	1	4	435	575	2
6	13	10	170	5.1	3.8	6.0	15.0	NE25	LS	30	8	11	38	490	537	19
6	13	12	171	5.1	3.9	5.0	18.0	NE15	F	30	3	0	6	526	0	3
6	13	14	172	4.6	4.4	4.0	21.0	NE12	F	31	0	0	0	0	0	0
6	13	18	173	5.1	4.7	4.0	24.0	NE11	E	31	0	0	0	0	0	0
6	13	20	174	4.6	4.3	4.0	27.0	NE12	E	33	0	0	0	0	0	0
6	13	22	175	5.9	NA	4.0	21.0	NE11	E	36	0	0	0	0	0	0
6	13	24	176	4.9	2.6	NA	NA	NE9	HS	35	0	0	0	0	0	0
6	14	2	177	NA	4.9	1.0	15.0	NE4	F	30	0	0	0	0	0	0
6	14	4	178	4.1	4.2	1.0	21.0	NE2	F	32	1	0	2	459	0	1
6	14	6	179	4.8	4.8	1.0	21.0	NE3	E	34	0	1	2	0	476	1
6	14	8	180	5.0	4.9	2.0	18.0	E7	E	32	1	0	2	420	0	1
6	14	10	181	5.0	4.8	3.0	24.0	NE7	E	40	10	16	39	506	536	26
6	14	12	182	5.0	4.4	2.0	21.0	NE5	F	34	0	8	14	0	547	8
6	14	14	183	4.4	1.6	3.0	30.0	NE8	E	31	0	2	4	0	512	2
6	14	16	184	5.0	1.8	3.0	21.0	N10	E	29	0	0	0	0	0	0
6	14	18	185	5.0	2.5	3.0	30.0	N10	E	29	0	0	0	0	0	0
6	14	20	186	4.9	1.4	2.0	24.0	N6	E	29	0	0	0	0	0	0
6	14	22	187	5.9	2.5	2.0	27.0	N5	E	31	0	0	0	0	0	0
6	14	24	188	5.2	2.5	1.0	24.0	N5	E	30	1	0	2	528	0	1
6	15	2	189	NA	2.7	1.0	15.0	NE4	F	34	0	0	0	0	0	0
6	15	4	190	4.4	4.2	2.0	15.0	W4	HS	31	0	0	0	0	0	0
6	15	6	191	5.1	3.6	2.0	18.0	SW5	E	36	1	0	2	506	0	1
6	15	8	192	5.4	5.4	1.0	21.0	NW3	E	29	0	0	0	0	0	0
6	15	10	193	5.2	5.0	1.0	27.0	NW3	E	29	20	9	60	490	520	29
6	15	12	194	5.2	2.7	0.5	24.0	NW1	F	27	33	2	78	489	518	35
6	15	14	195	4.7	2.4	2.0	27.0	SE7	E	29	1	0	2	519	0	1
6	15	16	196	5.2	1.9	2.0	33.0	E9	E	31	0	5	10	0	539	5
6	15	18	197	5.2	1.5	2.0	24.0	SE9	E	31	6	0	12	527	0	6
6	15	20	198	5.2	2.5	2.0	27.0	SE8	E	30	0	0	0	0	0	0
6	15	22	199	5.2	2.9	1.5	27.0	E9	F	28	0	0	0	0	0	0
6	15	24	200	5.8	2.3	0.5	24.0	E5	F	30	0	0	0	0	0	0

6	16	2	200	NA	NA	1.0	21.0	SW4	E	29	1	0	2	537	0	1
6	16	4	200	5.1	4.4	1.0	24.0	NW5	F	31	0	0	0	0	0	0
6	16	6	200	5.8	4.4	2.0	24.0	NW6	F	30	6	0	12	480	0	6
6	16	8	200	5.8	4.4	2.0	24.0	NW5	E	28	2	7	19	465	554	9
6	16	10	200	5.8	4.4	1.0	30.0	NW4	E	33	45	6	93	513	518	51
6	16	12	200	5.4	1.6	2.0	30.0	W5	F	29	75	75	310	521	544	150
6	16	14	200	5.2	1.8	1.0	33.0	W5	F	32	2	0	4	518	0	2
6	16	16	200	5.5	2.1	2.0	39.0	W5	E	32	0	0	0	0	0	0
6	16	18	200	5.5	1.2	2.0	30.0	W5	E	31	0	0	0	0	0	0
6	16	20	200	5.5	3.8	2.0	27.0	W5	E	29	1	0	2	440	0	1
6	16	22	200	5.3	2.4	2.0	27.0	W5	E	28	0	0	0	0	0	0
6	16	24	200	6.2	NA	2.0	21.0	W5	E	28	1	0	2	544	0	1

2018 Date	Daily Catch Index by Station (catch from the 200 fathom net if it had fished for 1 hr)												For comparison w/ prev years	Best for assessing entry pattern this year	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	Mean Daily Catch Index (Stns 2-10)	Mean Daily Catch Index (Stns 2-22)	4½" mesh	5½" mesh	4½" mesh	5½" mesh	
	10-Jun	0	0	0	0	9	14	0	0	2	1	1	2	3	6	4	479	521
11-Jun	0	0	8	48	3	8	0	0	3	2	1	12	7	5	22	411	529	
12-Jun	0	0	0	5	14	5	7	8	5	3	2	4	4	10	5	494	543	
13-Jun	0	5	0	31	0	40	5	3	7	5	3	7	9	26	7	508	509	
14-Jun	0	0	0	0	0	13	8	27	10	7	4	0	6	4	14	475	528	
15-Jun	15	1	6	11	13	15	20	0	5	0	6	9	8	8	4	514	509	
16-Jun	3	27	0	0	3	20	12	14	0	0	0	7	7	29	11	493	529	
17-Jun	0	31	16	16	10	72	6	0	0	0	10	15	15	45	32	509	521	
18-Jun	0	10	7	9	0	24	10	14	7	5	13	5	9	34	17	508	533	
19-Jun	19	4	17	41	7	0	31	37	38	68	16	18	25	55	64	505	529	
20-Jun	0	0	9	33	0	18	0	34	47	10	3	8	14	52	40	502	528	
21-Jun	0	0	13	11	22	43	60	107	33	13	3	9	28	78	71	510	531	
22-Jun	0	11	110	25	85	34	62	79	139	26	9	46	53	157	105	507	532	
23-Jun	23	6	11	26	29	40	137	48	52	49	36	19	41	66	49	527	535	
24-Jun	24	3	15	35	38	30	55	91	76	55	41	23	42	65	65	515	541	
25-Jun	25	2	52	17	3	21	130	98	63	61	47	20	47	55	70	518	537	
26-Jun	26	9	111	0	3	16	75	60	69	68	52	30	44	30	58	512	529	
27-Jun	27	11	199	3	23	54	19	64	74	73	57	53	55	70	64	502	533	
28-Jun	28	3	166	3	6	70	87	63	79	78	62	41	59	83	75	509	525	
29-Jun	9	3	46	17	20	16	60	9	83	83	65	19	37	31	35	512	527	
30-Jun	30	0	103	132	65	78	65	125	51	86	68	66	73	145	101	508	524	
1-Jul	1	3	89	68	17	52	48	57	89	88	70	35	53	84	43	518	527	
2-Jul	2	9	31	55	15	43	29	34	91	90	71	22	43	48	31	498	500	
3-Jul	3	6	34	70	129	319	150	35	91	89	70	49	91	162	184	512	536	
4-Jul	4	0	63	70	44	44	17	84	91	87	68	36	52	82	47	523	538	
5-Jul	5	13	78	20	9	41	94	84	88	84	65	25	53	58	59	519	539	
6-Jul	6	3	21	22	76	125	51	44	132	79	60	26	56	109	73	512	530	
7-Jul	8	24	20	48	61	68	73	78	78	72	54	32	53	7	6	527	559	
8-Jul	8	3	20	46	60	66	70	72	71	64	48	27	48					
9-Jul	9	3	18	43	56	62	65	65	63	55	41	26	44					
10-Jul	10	2	17	39	51	57	58	57	54	46	33	24	39					
11-Jul	11	2	50	55	110	40	34	76	20	37	27	45	42	77	67	521	535	
Mean Stn Index	9	6	42	31	31	48	48	49	53	46	35			1681 (54%)	1423 (46%)	511	531	

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 6 m

Total inshore run = 59.7 million

Run timing = 4 days late

Age composition – A1.2 = 57%

A1.3 = 38%

A2.2 = 1%

A2.3 = 3%

2019	Daily Catch Index by Station												Mean Daily Catch Index		Raw catches		Mean Length (mm)			
	(Est. catch from the 200 fathom net if it had fished for 1 hr)												Best for comparison w/ prev years		Best for assessing entry pattern this year		4½" mesh	5½" mesh	4½" mesh	5½" mesh
	Date	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	(Stns 2-10)		(Stns 2-22)					
10-Jun	15	3	0	13	2	0	0	2	1	1	0	7	3	4	9	504	541			
11-Jun	0	0	0	8	0	10	0	10	2	1	1	2	3	8	3	486	526			
12-Jun	0	5	0	0	0	0	0	3	2	1	1	1	1	0	2		502			
13-Jun	2	2	0	12	9	0	5	4	3	2	1	5	4	0	10		509			
14-Jun	1	1	1	13	13	8	7	5	4	3	2	6	5							
15-Jun	0	0	2	13	17	5	2	7	5	4	3	6	5	9	7	453	493			
16-Jun	0	2	10	21	32	2	0	9	7	5	4	13	9	18	12	485	506			
17-Jun	0	0	5	67	22	17	7	11	9	7	5	19	14	28	23	481	511			
18-Jun	3	8	18	26	36	22	55	38	12	9	7	18	21	50	16	483	520			
19-Jun	4	10	22	20	22	24	21	18	15	12	9	15	16	17	9	491	499			
20-Jun	2	5	69	29	21	19	5	0	34	0	12	25	18	54	58	489	502			
21-Jun	12	19	32	24	13	57	32	18	11	18	68	20	28	84	76	495	526			
22-Jun	12	39	68	39	25	100	16	16	0	43	24	36	35	83	98	494	519			
23-Jun	2	23	30	60	75	62	2	3	86	8	14	38	33	80	83	497	526			
24-Jun	0	0	5	17	45	7	2	5	46	20	0	13	13	39	22	512	519			
25-Jun	16	5	72	62	79	44	10	20	14	62	26	47	37	105	99	490	514			
26-Jun	2	49	8	64	60	36	29	47	108	38	33	37	43	67	114	505	527			
27-Jun	10	14	9	2	7	18	53	82	139	43	55	8	39	75	126	514	536			
28-Jun	5	5	45	34	79	20	30	29	38	34	20	33	31	99	89	514	528			
29-Jun	30	7	41	161	75	79	89	55	122	65	29	63	68	177	194	511	533			
30-Jun	0	5	34	51	98	23	69	85	78	60	60	38	51	170	117	515	533			
1-Jul	0	60	5	24	33	42	52	166	93	16	7	24	45	119	123	519	532			
2-Jul	2	110	5	74	97	41	18	37	54	58	9	58	46	109	112	513	525			
3-Jul	4	34	28	12	0	58	57	57	54	49	43	16	36	38	25	515	526			
4-Jul	0	14	49	8	15	53	14	13	48	80	42	17	31	70	59	511	537			
5-Jul	0	0	30	18	30	9	0	27	74	9	20	16	20	58	42	473	532			
6-Jul	0	14	19	42	14	14	75	38	70	23	10	18	29	84	61	524	533			
7-Jul	5	0	5	2	18	34	26	32	130	14	34	6	27	66	60	520	534			
8-Jul	0	11	88	84	53	25	15	0	26	13	10	47	30	78	67	518	541			
9-Jul	0	7	0	0	5	5	2	10	18	24	0	2	7	15	18	497	518			
10-Jul	5	15	28	35	41	44	2	4	11	6	0	25	17	23	28	508	528			
11-Jul	0	64	18	35	82	41	40	35	29	24	21	40	35	96	40	505	525			
12-Jul	5	12	26	33	39	40	36	31	25	21	18	23	26	2	4	508	551			
13-Jul	4	4	36	10	62	50	33	27	22	18	15	23	25	57	39	510	527			
14-Jul	4	14	24	29	35	34	21	10	0	29	20	21	20	27	22	519	537			
15-Jul	4	13	22	27	32	30	25	17	11	17	10	20	19	20	5	512	531			
16-Jul	4	7	17	26	60	69	22	17	13	10	8	23	23	55	38	511	521			
17-Jul	3	12	8	10	25	23	18	14	10	8	6	12	13	8	8	524	536			
Mean Stn Index	4	16	24	33	36	30	24	28	41	23	18	Total =		1982 (52%)	1845 (48%)	507	527			

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 6 m

Total inshore run = 56.4 million

Run timing = 4 days late

Age composition – A1.2 = 61%

A1.3 = 33%

A2.2 = 4%

A2.3 = 2%

2020 Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)											Mean Daily Catch Index		Raw catches		Mean Length (mm)		
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	Best for comparison w/ prev years	Best for assessing entry pattern this year	4½" mesh	5½" mesh	4½" mesh	5½" mesh	
												(Stns 2-10)	(Stns 2-22)					
10-Jun	3	4	7	11	14	13	8	4	2	1	1	8	6					
11-Jun	3	4	7	11	15	14	9	4	2	1	1	8	7					
12-Jun	2	0	0	0	60	3	0	0	3	2	1	12	6	27	0	491		
13-Jun	3	4	0	0	60	11	4	13	0	2	1	13	9	15	18	478	495	
14-Jun	3	0	2	0	0	5	23	2	3	2	1	1	4	8	5	515	510	
15-Jun	5	0	0	44	8	5	48	7	4	2	2	11	11	15	30	487	512	
16-Jun	3	5	9	16	22	22	15	8	5	3	2	11	10					
17-Jun	3	10	10	23	13	24	17	10	6	4	3	12	11	12	6	466	508	
18-Jun	3	6	12	21	28	26	18	11	7	5	4	14	13					
19-Jun	3	7	13	19	2	16	0	19	0	7	5	9	8	16	9	491	496	
20-Jun	0	0	2	51	63	34	4	35	4	9	7	23	19	106	36	496	512	
21-Jun	3	7	17	32	42	36	24	16	13	11	9	20	19					
22-Jun	3	7	19	18	98	17	27	19	16	14	12	29	23	15	42	505	523	
23-Jun	2	6	23	37	87	25	19	19	14	1	16	31	23	96	68	495	522	
24-Jun	3	2	8	31	108	47	2	37	75	41	23	31	34	87	123	503	527	
25-Jun	0	12	2	34	70	110	33	18	4	3	88	24	34	123	64	502	522	
26-Jun	4	11	31	59	72	60	46	41	44	45	38	35	41					
27-Jun	5	14	36	65	75	62	51	51	58	61	49	39	48					
28-Jun	6	17	43	72	76	63	55	60	74	80	62	43	55					
29-Jun	8	22	52	80	78	73	22	73	43	101	76	48	57	44	49	512	529	
30-Jun	9	27	14	90	84	30	23	156	94	84	89	45	64	126	160	513	525	
1-Jul	11	34	19	96	76	40	68	81	119	135	99	47	71	70	57	509	527	
2-Jul	13	40	92	265	81	36	65	71	184	70	168	98	99	278	133	512	528	
3-Jul	14	10	133	198	6	30	41	91	147	336	0	72	92	259	190	512	523	
4-Jul	0	16	393	82	62	43	25	87	151	219	0	111	98	293	306	532	542	
5-Jul	8	23	44	138	291	80	5	156	110	317	86	101	114	218	206	525	549	
6-Jul	15	51	134	175	122	73	60	76	103	106	74	99	90					
7-Jul	14	48	127	45	113	66	58	3	169	23	63	69	66	69	80	511	525	
8-Jul	3	22	52	187	80	97	0	65	82	79	54	69	65	76	95	510	535	
9-Jul	10	167	205	44	250	77	81	58	72	68	47	135	98	173	161	508	525	
10-Jul	10	0	23	27	117	14	21	51	63	59	41	35	39	32	30	516	529	
11-Jul	9	25	54	32	3	23	38	32	19	94	37	24	33	25	44	498	129	
12-Jul	8	20	32	7	108	13	37	18	120	44	32	35	40	129	28	510	451	
13-Jul	0	9	57	37	33	28	28	33	40	38	28	27	30	6	25	487	527	
Mean Stn Index	6	19	49	60	71	39	29	42	54	61	36			Total =	2318 (54%)	1965 (46%)	512	520

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 11 m

Total inshore run = 58.7 million

Run timing = 5 days late

Age composition – A1.2 = 34%

A1.3 = 61%

A2.2 = 3%

A2.3 = 1%

2021 Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index		Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	Best for comparison w/ prev years (Stns 2-10)	Best for assessing entry pattern this year (Stns 2-22)	4½" mesh	5½" mesh	4½" mesh	5½" mesh	
10-Jun	2	3	6	8	8	6	4	2	2	1	1	5	4					
11-Jun	0	4	4	17	12	8	5	3	2	1	1	7	5	9	3	509	475	
12-Jun	0	6	0	28	18	8	6	3	2	2	1	10	7	13	8	480	499	
13-Jun	9	2	58	55	21	0	10	3	7	4	2	29	16	68	22	482	498	
14-Jun	3	4	4	2	148	2	0	0	6	0	5	32	16	69	27	478	525	
15-Jun	3	8	20	94	52	4	0	0	0	0	0	35	16	21	53	479	495	
16-Jun	0	0	0	0	117	62	20	13	10	7	4	23	21	34	65	474	514	
17-Jun	2	10	0	64	154	0	77	32	24	15	6	46	35	127	103	491	503	
18-Jun	19	0	21	58	50	63	41	21	37	36	10	30	32	83	94	493	515	
19-Jun	7	5	41	5	389	173	50	33	26	2	2	90	67	296	153	489	498	
20-Jun	0	0	104	252	201	86	21	8	34	0	4	111	65	216	149	479	498	
21-Jun	0	7	52	3	21	2	45	13	93	38	28	16	27	76	79	499	520	
22-Jun	0	26	89	94	112	76	160	120	69	110	6	64	78	222	169	488	515	
23-Jun	9	18	40	85	135	147	124	98	70	41	20	57	72					
24-Jun	10	20	42	86	138	156	138	108	76	45	23	59	77					
25-Jun	2	0	18	19	96	146	84	183	114	48	25	27	67	190	154	492	518	
26-Jun	70	4	27	23	106	168	31	148	242	0	0	46	74	262	108	500	523	
27-Jun	0	0	2	192	393	148	53	222	45	52	28	117	103	333	378	498	511	
28-Jun	18	9	37	186	30	19	89	36	144	30	0	56	54	146	133	504	516	
29-Jun	10	23	49	90	461	335	52	62	53	54	28	127	111	407	208	498	509	
30-Jun	9	22	49	91	124	120	96	74	56	40	27	59	64					
1-Jul	8	21	48	90	116	107	81	62	48	36	25	57	58					
2-Jul	0	28	4	272	69	37	41	0	0	13	24	75	44	97	105	492	515	
3-Jul	22	7	15	129	120	0	0	23	67	34	4	59	38	53	97	503	523	
4-Jul	0	4	0	130	202	16	10	112	38	55	37	67	55	148	80	503	527	
5-Jul	6	16	42	83	101	79	7	10	75	0	19	49	40	10	21	524	531	
6-Jul	5	15	40	83	102	78	49	33	26	22	18	49	43					
7-Jul	5	14	40	163	60	159	34	55	0	21	17	56	52	111	103	501	521	
8-Jul	3	0	0	284	67	45	39	32	38	24	16	71	50	148	82	500	521	
9-Jul	5	13	39	82	96	67	39	25	20	18	15	47	38					
10-Jul	5	13	0	25	114	27	14	25	14	4	14	31	23	54	26	508	524	
11-Jul	5	1	0	404	135	38	16	29	18	10	12	109	61	137	126	497	521	
12-Jul	5	12	32	142	45	12	39	0	13	12	11	47	29	53	37	490	522	
13-Jul	4	11	25	81	16	19	8	13	11	11	10	27	19	31	29	494	530	
14-Jul	8	0	30	60	78	11	14	10	9	9	8	35	22	44	24	506	517	
15-Jul	4	9	21	13	8	0	0	11	28	0	7	11	9	12	19	491	526	
Mean Stn Index	7	9	28	97	114	67	42	45	42	22	13			Total = 3470 (57%)	2655 (43%)	494	514	

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 11 m

Total inshore run = 67.7 million

Run timing = 2 days late

Age composition – A1.2 = 62%

A1.3 = 26%

A2.2 = 7%

A2.3 = 3%

2022	Daily Catch Index by Station											Mean Daily Catch Index		Raw catches		Mean Length (mm)		
	(Est. catch from the 200 fathom net if it had fished for 1 hr)											Best for comparison w/ prev years						
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	(Stns 2-10)	(Stns 2-22)	4½" mesh	5½" mesh	4½" mesh	5½" mesh	
10-Jun	1	2	5	8	10	2	32	0	2	0	0	5	6	14	5	498	562	
11-Jun	1	2	7	0	0	79	2	4	0	2	1	2	9	1	53	501	527	
12-Jun	0	2	8	7	0	16	2	0	4	2	0	3	4	8	14	529	528	
13-Jun	2	0	87	19	2	44	0	7	2	0	8	22	16	58	91	514	531	
14-Jun	3	0	2	52	70	134	38	0	0	0	1	25	27	73	94	514	524	
15-Jun	3	0	13	42	0	74	65	0	10	0	1	12	19	49	37	501	521	
16-Jun	4	0	0	82	247	100	0	0	4	3	2	67	40	117	143	497	523	
17-Jun	4	15	323	118	114	213	75	15	7	3	2	115	81	233	220	513	534	
18-Jun	0	3	27	36	156	41	0	0	0	2	4	44	24	45	74	504	518	
19-Jun	0	5	0	252	194	24	0	48	4	0	3	90	48	125	148	507	532	
20-Jun	6	7	111	16	47	0	3	46	2	10	4	37	23	86	35	505	533	
21-Jun	6	40	204	45	120	48	6	63	120	3	6	83	60	149	159	505	534	
22-Jun	8	0	50	41	4	26	18	38	84	0	0	20	24	85	28	519	530	
23-Jun	30	0	155	62	4	25	31	0	9	125	8	50	41	94	128	520	529	
24-Jun	0	0	123	238	16	92	7	75	0	0	7	75	51	109	152	513	535	
25-Jun	9	3	81	261	32	25	0	96	54	22	6	77	54	115	120	516	536	
26-Jun	3	0	0	8	3	0	3	56	51	18	4	3	13	3	1	488	533	
27-Jun	0	0	8	4	4	0	0	82	3	0	3	3	10	23	15	515	526	
28-Jun	0	5	3	45	2	4	0	116	90	0	13	11	25	58	69	521	531	
29-Jun	0	3	3	0	0	0	0	113	18	0	0	1	12	31	29	528	529	
30-Jun	3	8	0	3	16	0	198	198	38	42	4	6	46	111	141	514	534	
1-Jul	0	5	31	2	55	0	0	344	3	30	5	19	43	118	130	516	527	
2-Jul	8	36	62	0	2	0	25	237	141	17	0	22	48	162	136	524	525	
3-Jul	0	3	0	0	0	0	0	170	27	23	8	1	21	82	58	513	531	
4-Jul	0	7	18	0	0	0	0	31	131	16	8	5	19	49	54	511	520	
5-Jul	7	4	19	0	0	0	0	18	102	50	8	6	19	58	30	514	520	
6-Jul	3	0	0	10	0	9	32	71	68	78	10	3	26	51	89	513	516	
7-Jul	3	5	2	12	25	5	32	15	21	0	9	9	12	33	31	515	524	
8-Jul	16	8	6	0	13	3	34	4	0	0	8	9	8	24	15	512	531	
9-Jul	46	10	2	16	73	9	68	21	104	14	8	29	34	105	100	516	529	
10-Jul	18	0	3	10	30	27	32	14	24	3	0	12	15	48	39	517	527	
11-Jul	209	0	29	116	21	35	19	20	58	11	11	75	48	121	162	518	526	
12-Jul	0	6	13	30	32	8	0	14	0	4	3	16	10	32	21	513	536	
13-Jul	25	22	23	21	17	7	12	0	4	3	2	22	12	12	7	500	527	
14-Jul	6	11	0	35	14	8	6	4	2	1	1	13	8	21	9	521	534	
Mean Stn Index	12	6	40	45	38	30	21	55	34	14	4			Total =	2503 (49%)	2637 (51%)	513	529

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 11 m

Total inshore run = 79.4 million

Run timing = 1 day late

Age composition – A1.2 = 33%

A1.3 = 50%

A2.2 = 15%

A2.3 = 2%

2023 Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations (Stns 2-22)	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24		4½" mesh	5½" mesh	4½" mesh	5½" mesh
10-Jun	0	1	2	3	4	3	2	1	1	0	0	0	2				
11-Jun	0	2	4	6	6	5	3	2	0	0	0	0	3				
12-Jun	0	4	7	10	6	7	4	2	9	0	0	0	4	9	9	513	538
13-Jun	2	2	8	5	16	30	0	0	0	0	0	0	6	9	25	529	544
14-Jun	4	0	18	17	124	0	5	0	2	0	0	0	15	53	39	531	540
15-Jun	0	41	84	2	0	0	2	0	0	0	0	0	12	18	54	523	546
16-Jun	0	99	20	70	38	18	8	0	0	0	1	0	23	41	30	516	550
17-Jun	9	115	0	2	6	0	2	0	4	1	0	0	13	8	71	519	548
18-Jun	0	45	0	82	156	0	0	0	13	0	0	0	27	138	39	540	546
19-Jun	0	265	282	227	158	139	0	0	0	1	0	0	97	298	364	527	551
20-Jun	0	62	62	75	22	0	5	2	0	1	0	0	21	32	74	530	546
21-Jun	0	62	290	60	23	0	0	0	7	1	1	0	40	101	167	530	549
22-Jun	0	47	10	88	16	2	0	0	0	1	1	0	15	30	50	523	554
23-Jun	0	162	69	103	108	162	0	5	2	0	8	2	56	151	141	536	541
24-Jun	2	223	100	216	25	132	6	0	8	0	8	2	65	125	257	539	546
25-Jun	23	111	151	128	53	45	0	23	7	2	0	1	49	156	132	537	552
26-Jun	0	251	166	16	66	43	12	5	0	0	2	1	51	148	153	536	556
27-Jun	5	123	124	39	175	44	58	0	0	4	2	1	52	146	111	533	547
28-Jun	0	305	292	159	53	57	47	0	0	5	3	1	84	174	283	527	550
29-Jun	0	214	143	209	306	145	47	5	0	0	3	2	97	293	222	533	551
30-Jun	0	34	284	243	71	94	126	10	14	8	4	2	81	230	175	532	547
1-Jul	9	58	184	246	170	86	44	25	16	10	5	3	78				
2-Jul	6	62	193	133	263	9	5	0	0	12	7	3	63	185	196	534	549
3-Jul	0	19	166	217	269	72	0	43	5	66	58	15	83	227	224	530	549
4-Jul	0	46	35	48	93	74	41	29	23	18	10	5	38	59	44	532	546
5-Jul	4	0	35	47	11	35	77	36	2	23	0	6	25	44	88	537	547
6-Jul	0	0	111	128	210	118	21	64	0	8	14	7	61	152	187	535	547
7-Jul	5	21	133	64	46	14	49	0	0	0	67	7	36	116	83	540	543
8-Jul	2	11	28	72	61	34	2	82	2	0	0	8	27	44	36	524	545
9-Jul	2	2	21	19	76	28	16	13	0	15	12	7	19	29	50	541	543
10-Jul	2	5	71	31	46	32	0	2	0	40	0	0	21	36	65	523	546
11-Jul	7	0	94	53	0	17	2	0	5	13	6	15	18	56	45	533	539
12-Jul	0	0	9	43	29	9	2	4	7	0	0	6	9	12	38	513	532
13-Jul	7	2	10	22	104	5	0	4	5	9	40	5	19	44	54	538	542
Mean Stn Index	3	70	94	85	83	43	17	10	4	7	7	3	Total =	3164 (47%)	3506 (53%)	532	548

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

- Net depth = 11 m
- Total inshore run = 54.5 million
- Run timing = 2 days late
- Age composition – A1.2 = 14%
 - A1.3 = 58%
 - A2.2 = 5%
 - A2.3 = 22%

2024 Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index Avg. Indices Across Stations	Raw catches		Mean Length (mm)	
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24	(Stns 2-22)	4½" mesh	5½" mesh	4½" mesh	5½" mesh
	10-Jun	3	2	0	11	14	0	0	0	0	0	0	0	3	12	2	470
11-Jun	0	0	14	0	0	2	0	0	2	2	0	0	2	9	0	475	
12-Jun	3	3	5	0	10	3	0	0	0	0	0	3	2	4	7	499	511
13-Jun	3	0	0	0	3	0	4	0	2	0	3	0	1	6	1	476	533
14-Jun	0	0	8	8	0	22	0	0	3	0	0	0	4	5	11	474	506
15-Jun	0	0	0	29	6	7	0	2	0	15	0	0	5	24	5	471	536
16-Jun	2	0	0	29	8	28	2	3	7	0	5	0	8	19	19	475	511
17-Jun	2	0	56	22	101	0	2	4	11	13	0	2	19	56	51	468	497
18-Jun	0	0	42	75	105	22	2	2	4	10	2	2	24	43	79	476	497
19-Jun	0	36	25	0	4	54	39	0	75	92	4	4	30	131	34	481	519
20-Jun	0	0	136	88	114	43	88	5	0	41	2	0	47	161	113	480	507
21-Jun	5	23	56	68	114	150	33	2	0	35	11	7	45	160	97	485	512
22-Jun	6	58	73	54	105	21	0	2	6	41	8	0	34	126	67	487	517
23-Jun	0	14	62	39	55	23	45	42	34	54	14	0	35	113	79	482	500
24-Jun	0	85	130	26	116	5	32	18	30	21	28	2	45	170	60	483	506
25-Jun	0	3	132	95	306	73	0	9	108	29	23	13	71	218	183	483	507
26-Jun	8	118	219	133	92	43	22	19	23	27	24	16	66	92	43	493	514
27-Jun	8	0	203	135	74	5	12	7	21	26	26	18	47	143	70	486	511
28-Jun	0	7	90	82	89	2	47	28	14	95	50	0	46	165	67	485	514
29-Jun	5	43	4	302	114	25	29	2	8	11	0	27	49	214	113	489	510
30-Jun	0	2	3	21	99	35	21	0	0	27	2	39	19	60	51	483	516
1-Jul	6	93	124	88	156	46	7	2	0	23	12	104	50	166	110	489	509
2-Jul	0	8	69	297	243	50	3	3	7	6	4	5	63	224	174	489	508
3-Jul	0	0	73	64	188	45	27	111	18	29	15	0	52	189	131	496	511
4-Jul	2	114	158	140	359	21	36	33	21	64	27	17	89	393	173	496	519
5-Jul	5	14	85	43	202	47	176	37	56	112	20	7	72	303	99	492	514
6-Jul	0	0	13	28	79	72	16	8	8	62	69	6	32	126	53	494	516
7-Jul	2	2	9	64	46	2	12	2	33	14	2	12	17	54	49	495	526
8-Jul	0	31	18	155	60	32	15	0	36	38	0	0	35	128	71	499	518
9-Jul	0	58	54	46	111	0	28	60	110	43	7	26	47	156	113	498	514
10-Jul	19	5	30	76	0	2	26	46	41	2	0	9	22	55	82	499	515
11-Jul	2	15	24	31	9	2	6	32	0	5	4	6	12	32	26	501	526
12-Jul																	
13-Jul																	
Mean Stn Index	2	23	60	70	93	27	23	15	21	29	11	10	Total =	3757 (63%)	2233 (37%)	489	511

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 11 m

Total inshore run = 51.6 million

Run timing = 2 days late

Age composition – A1.2 = 76%

A1.3 = 13%

A2.2 = 7%

A2.3 = 4%

2025 Date	Daily Catch Index by Station (Est. catch from the 200 fathom net if it had fished for 1 hr)												Mean Daily Catch Index	Raw catches		Mean Length (mm)	
													Avg. Indices Across Stations (Stns 2-24)	4½" mesh	5½" mesh	4½" mesh	5½" mesh
	S2	S4	S6	S8	S10	S12	S14	S16	S18	S20	S22	S24					
10-Jun	0	0	0	50	17	10	2	1	1	1	1	2	7	14	25	501	508
11-Jun	0	0	3	166	63	6	0	0	2	0	0	3	20	46	42	484	507
12-Jun	0	0	39	60	57	6	0	0	0	0	0	4	14	47	13	491	509
13-Jun	1	4	6	11	11	0	0	0	3	0	0	15	4	10	9	472	516
14-Jun	0	8	16	86	4	14	0	0	0	3	3	0	11	35	36	475	504
15-Jun	3	2	101	73	12	8	0	0	0	5	0	10	18	37	57	497	500
16-Jun	5	32	101	103	14	0	0	1	1	1	0	39	25	80	52	488	527
17-Jun	0	14	180	104	115	0	0	0	0	0	0	17	36	95	79	500	535
18-Jun	1	3	87	63	134	0	0	14	2	0	2	9	26	83	42	507	528
19-Jun	0	0	74	352	42	9	3	0	3	0	0	0	40	147	82	492	512
20-Jun	2	2	122	234	66	16	7	10	17	20	20	25	45	63	55	483	516
21-Jun	2	44	216	143	79	0	24	19	90	91	58	38	67	178	156	505	531
22-Jun	5	42	205	48	8	53	14	0	0	0	50	55	40	78	115	510	535
23-Jun	0	18	219	198	11	83	5	5	52	5	37	0	53	150	109	514	527
24-Jun	0	159	156	57	74	3	5	3	3	0	0	12	39	91	105	514	540
25-Jun	3	0	211	605	397	147	7	3	0	0	8	3	115	277	323	510	532
26-Jun	0	266	194	245	24	2	5	0	0	0	0	66	67	138	186	509	536
27-Jun	23	10	173	178	115	0	2	49	19	18	138	245	81	208	193	521	536
28-Jun	5	12	146	223	43	14	30	65	50	90	125	48	71	162	194	509	536
29-Jun	15	3	283	125	18	52	0	2	5	58	74	141	65	161	165	516	530
30-Jun	3	3	120	380	14	13	0	21	39	45	71	55	64	123	137	517	534
1-Jul	0	3	78	65	23	16	17	0	29	5	38	29	25	59	57	511	534
2-Jul	0	13	212	110	19	2	48	55	70	5	46	0	48	148	117	496	529
3-Jul	3	5	65	3	18	41	8	46	0	29	70	0	24	72	44	510	540
4-Jul	0	15	118	103	55	51	56	52	43	36	36	30	49	26	29	500	523
5-Jul	0	16	40	228	67	52	107	58	8	35	38	19	56	119	160	520	534
6-Jul	10	0	103	118	135	53	124	72	58	63	72	77	74	206	167	513	531
7-Jul	2	13	94	28	55	127	55	38	106	19	72	106	59	142	152	512	526
8-Jul	2	0	85	85	13	3	3	20	94	68	14	96	40	96	102	522	531
9-Jul	0	10	91	25	13	20	12	6	16	0	55	5	21	52	53	518	536
10-Jul	3	2	30	44	26	13	21	17	24	29	35	0	20	44	52	519	532
11-Jul	0	34	13	49	10	42	39	7	23	72	0	0	24	63	52	517	535
12-Jul	0	10	55	50	23	11	3	13	30	50	91	0	28	62	67	527	540
Mean Stn Index	3	22	110	134	54	26	18	17	24	23	35	35	Total =	3312 (51%)	3227 (49%)	509	530

Red index values were estimated with a statistical model built upon the observed pattern across catch indices to date; thus, these values are subject to change as the season progresses.

Net depth = 11 m

Total inshore run = 56.8 million

Run timing = 1 day early

Age composition – A1.2 = 29%

A1.3 = 57%

A2.2 = 10%

A2.3 = 4%